
Washington Disease Reporting System Hepatitis (B & C) Disease Instruction Manual

Washington State Department of Health
Office of Infectious Diseases &
Office of Communicable Disease Epidemiology







DOH 150-120 June 2018

Table of Contents

Getting Started	<u>d</u>	4
WDRS To	oolbar	6
WDRS Ta	lbs on the Event Summary Page	7
<u>Tips and '</u>	<u>Tricks</u>	8
ELR-Crea	<u>ited Events</u>	12
<u>Manually</u>	Entering Event Data into WDRS: Overview	12
Wizards		12
<u>Acute Her</u>	patitis B Wizard	16
<u>Chronic H</u>	Hepatitis B Surveillance Wizard	26
<u>Chronic H</u>	Hepatitis B Interview Wizard	30
<u>Perinatal</u>	Hepatitis B Wizard	39
<u>Acute Her</u>	patitis C Wizard	45
<u>Chronic H</u>	Hepatitis C Lab Surveillance Wizard	55
<u>Chronic H</u>	Hepatitis C Wizard	59
Persons Who I	Have Been Reported as Both Acute and Chronic Cas	<u>ses</u> 65
Transferring a	and Sharing Events/Cases	66
<u>Event/Ca</u>	se Belongs to Another Jurisdiction	66
Event/Ca	se Has Moved to Another Jurisdiction and You Would Like Have Edit Permissions	the New
Workflows		67
About Wo	orkflows	67
	Workflow Categories	
•	ited Events	
	g <u>Events in a Workflow</u>	
	of Hepatitis Workflows and Expected User Actions	
_	Reports for Hepatitis B & C	

<u>Event Data Tab - Question Packages:</u>	76
<u>Administrative</u>	76
<u>Communications</u>	80
<u>Demographics</u>	82
Clinical Evaluation	85
Pregnancy	95
<u>Birth</u>	98
<u>Laboratory Diagnostics</u>	100
Exposure	103
Linkage to Care	111
<u>Death</u>	116
PH Issues & Actions	117
<u>Contacts</u>	122
Appendix A: Required Lab Tests & Results	125
Glossary: Terms Used in WDRS	129



KEY to Symbols

Pay particular attention



Remember to save the patient record

Contact the Washington State Department of Health Hepatitis Program
General Hepatitis C Email hepatitis@doh.wa.gov
General Hepatitis B/D Email: commDisEpi@doh.wa.gov

Supplementary WDRS training materials can be found on the main WDRS page (https://www.doh.wa.gov/WDRS) or the Hepatitis WDRS page (https://www.doh.wa.gov/WDRSHepatitis).


Disclaimer: The examples used in this reference guide are fictitious. Any resemblance between any person or case illustrated in this reference guide and an actual person or case is purely coincidental.

For persons with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).

Getting Started

The Washington Disease Reporting System (WDRS) Hepatitis Disease Model is used to report cases of hepatitis to the Washington State Department of Health (DOH).


If you are using Internet Explorer: When logging into SecureAccess Washington (SAW), adjust your Compatibility View settings to avoid WDRS freezing issues. Click on the 'Tools' icon on the top right hand corner of the page. Select Compatibility View settings from the dropdown menu and a pop-up menu will appear. Select wa.gov from the 'Add this website' window and click on the 'Add' button to drop the website down to the 'Websites you've added to Compatibility View' field. Click the 'Close' button and continue to log into SAW as normal.






If you are unable to login to SAW, call Service Central at **360-236-4357**. It will help to have your error message ready.


Once you are logged into WDRS through SAW, search for a patient or create a new patient record from the **WDRS Home Page**. For guidance on how to **Search for a Patient** or **Create a New Event** (Patient Record), refer to the general <u>WDRS Reference Guide</u>.



Once you have created, or found, a patient <u>event</u> (patient record), the **Event Summary** screen will be displayed.



There are two ways to enter data for a new **event** in WDRS: use **Wizards** or use individual **Question Packages**. Both can be found at the bottom of the **Event Summary Screen**.



Question package, or tabular, entry requires you to enter data through individual question packages and choose the fields to input. Wizards, however, are condition-specific and take relevant questions from the different question packages to create one page for data entry.

Wizards are the recommended method for data entry. See the Wizards section to learn more.



WDRS Toolbar



The toolbar displays icons that initiate most activities. It can be found at the top left-hand side of the WDRS Home Screen **Your role will determine which icons you see.** The toolbar will change depending on your activities in WDRS. The icons listed below are the most widely-available action items in WDRS.



Create Event – used to create a new event.



Search Event / Search Case – used to search for an existing event, based on various search criteria (such as case name).



Workflow / Workflow Queue – used to view user workflow queues. Workflow queues are designed to bring attention to events that need user action. Please see the section on <u>Workflows</u> in this guide for additional information about Hepatitis B & C-specific workflows.



Tasks – used to assign and update statuses of specific tasks.



Reports / Maven Reporting – used to view, print and export reports from data entered in WDRS including line list, tabular and extract reports that can be customized for local or state use.



View User Calendar – user tool for adding and viewing tasks, meetings, appointments, and more.



Recent Events – provides easy access to the previous 20 events that have been viewed by the current user.

WDRS Tabs on the Event Summary Page



Event Data - The Event Data tab is where the questions packages for this event are located. Question packages are used to view and edit information on an event.

Lab Results - The Lab Results tab is where you add and review labs for this event. This is also where electronic lab reports will be viewable.

Concerns -The Concerns tab is where you can view any concern for the event. A concern is an important issue that could affect the event. There are two types of concerns: 1) a system-generated concern is automatically generated by WDRS and is used to highlight important characteristics of the event (potential data entry issues, pediatric case, multidrug resistance, etc.); and, 2) a user-generated concern is created by the user to bring attention to an issue.

Persons - The Persons tab provides details about the person associated with the event, and is used to add or update identifying and contact information about the person.

Tasks - The Tasks tab provides information about any task associated with an open event. You can add Tasks here.

Calendar - The WDRS Calendar tab provides a simple solution for organizing team meetings, client appointments, and resources usage.

Event History - The Event History tab provides a history of when the event was created and updated, including details about what changes were made to a question package and who made them. It can provide a helpful snapshot of the history of changes made to the event. This history is displayed at the question package level, not by individual question.

Tips and Tricks



- Hover over the **information icon** for more information about a question/field.
- Some questions have **additional drop down questions** that may not be visible until you select an answer for the question in view.
- Pay attention to red text, which may indicate concerns or incomplete sections needing your attention.



• Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.




- Save early and often! The WDRS system will automatically time out due to inactivity after 20 minutes, and there is no autosave function.
- The handling of uncertain dates in WDRS varies by program area. For Hepatitis:
 - If month and year are known and you can make a close estimate of the day (e.g. got sick "a week ago"), pick a day.
 - If the month and year are known and you cannot make a close estimate of the day (e.g. got sick "since March"), input the first of the month for that month and year. Note: Select 'Derived' = Yes when you cannot make a close estimate of the day.
 - o If the date is completely unknown, leave the field blank. This is especially important for the symptom onset date.

 Some greyed out fields do not allow changes to be made on the current screen. If changes to these fields are needed, make the change on the page where the information was originally entered.


For example, if you are navigating a wizard, you cannot change Date of birth or Sex directly in the wizard.



To modify these particular fields, you need to return to the 'Edit Person' screen.



 Anywhere you see an "Add New" link, you may click on it to make additional entries for that question (called a 'repeatable'). Repeatable questions are indicated throughout this guide with a diamond symbol (♦).




• When the magnifying glass or **search icon** appears next to a field, click on the icon to search for a response from a preexisting list.






Best practice is to enter the first two or three letters of the name followed by an asterisk(*). This is called the **Wildcard Function**, which searches for terms that match the initial characters input and unknown characters following the asterisk.

For example, for a search of Providence Hospital, you could type "Pr*". This would pull up options that start with 'Pr'. For more information on this function, see the general WDRS Reference Guide.




• To edit Person information, such as address or vital status, navigate to the Event Summary screen, click on the Persons tab, and select 'Edit Person' (option 1). You can also click on the hyper-linked name of the person in the Basic Information section, and select 'Edit Person' (option 2).

Option 1.



Option 2.





ELR-Created Events

New events that are created as a result of an Electronic Laboratory Report (ELR) can be accessed in the <u>workflow</u> categories: **Lab reports for review – action required** and **Potential chronic hepatitis cases – action required**. Events in these workflows will require review to determine whether they are acute, chronic or perinatal.

Manually Entering Event Data into WDRS: Overview

- 1.) Search for an existing event/case or person.
 - Always search for an existing <u>event</u> or person before creating new event or new person
 - Please see the general <u>WDRS Reference Guide</u> for more information.
- 2.) If event/person is not found in the system, create a new event (for this case or person) and enter as much information as possible.
 - The minimum information required to create an event is first and last name for the person, as well as their reported disease condition.
 - It is important to include as much information as possible when creating an event because information entered is used to populate other fields.
 - Please see the general <u>WDRS Reference Guide</u> for more information.
- 3.) Add, edit, and review lab results under the **Lab Results** tab on the **Event Summary** page.
 - Please see the lab sections of this guide for more information: '<u>Laboratory</u>
 <u>Diagnostics</u>' chapter and '<u>Appendix A</u>'.
- 4.) Use a wizard to enter additional data.
 - Please see the Wizards section of this guide for more information.
 - If you need to enter lab results, refer to step 3
- 5.) Navigate each question package individually as necessary in order to enter data that is not captured in the wizards.
 - Refer to individual <u>Question Package</u> sections of this guide for more information

Wizards

Wizards are a way to make data entry or data viewing easier. They take relevant questions from the different question packages to create one page for data entry. Wizards are the recommended method of data entry.





Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

The following wizards are available for Hepatitis B and C cases:

Hepatitis B


- Acute Hepatitis B Wizard
- Chronic Hepatitis B Surveillance Wizard
- Chronic Hepatitis B Interview Wizard
- Perinatal Hepatitis B Wizard

Hepatitis C

- Acute Hepatitis C Wizard
- <u>Chronic Hepatitis C Lab Surveillance</u>
 Wizard
- Chronic Hepatitis Wizard

The following sections are consistent across most wizards (exact details of screenshots may differ slightly):

Administrative




Confirm subtype

- Select 'yes' to confirm subtype (acute, chronic, or perinatal) as soon as possible.
 Additional question packages will become available after subtype is confirmed.
- If hepatitis D co-infected, select 'yes' to "Hepatitis D co-infected" (applies to Hepatitis B events only).
- To change subtype after it has been confirmed, you must select unlock under disease status in the <u>Administrative question package</u>.



 After confirming subtype: Changing the subtype in the administrative question package, after data has been entered, will result in loss of all information entered in the wizard.

Event Administration



Address Information

 Select the address at the time of reporting in Washington State. The <u>county of diagnosis</u> (accountable county) will autofill based on address selected.



- To edit or add an address, navigate to the **Event Summary** screen, click on the **Persons** tab, and select 'Edit Person'. You can also click on the hyper-linked name of the person in the **Basic Information** section, and select 'Edit Person' (see **Tips and Tricks**).
- If the record was created by an Electronic Laboratory Report (ELR) submission, the address on the lab report will be copied into the person record automatically. It can then be selected using the address selection link in the wizard.
- If a residential address is not available, the address of the provider or laboratory will be used to assign a record to an accountable county.
- To enter address information for a person experiencing homelessness, select 'Other' for Address Type, then select 'Homeless' for Residence Type.


LHI notification date

- Enter the date that the Local Health Jurisdiction (LHJ) was notified of the event.
- The **LHJ notification date** can be different than the **Report date**. For example, if King County received a Pierce County lab result dated 2/1 and sent the lab to Pierce County on 2/5, the **Report date** would be 2/1 and the **LHJ notification date** would be 2/5.

Investigator

- Use this field to record the investigator responsible for this event.
- Select the **search icon** to search for and select your WDRS username (this is the same as your SAW user ID).





Investigation start date

The investigation start date is the date the investigator initiated action on the event.

Investigation status

 The investigation status must be marked as "Complete," "Complete – not reportable to DOH," or "Unable to complete" to enter a record complete date.

LHJ investigation complete date

 The investigation complete date is entered when an LHJ has completed their active investigation. This date is different than the record complete date.

LHI record complete date

- The record complete date is entered when the LHJ is ready to complete the event.
- To complete an event, you must have the following fields answered:
 - County of diagnosis (accountable county).
 - LHJ notification date.
 - Investigator.
 - Investigation start date.

- Investigation status.
- Disease status. The hepatitis event must have a confirmed subtype (acute, chronic, or perinatal). An event cannot be closed with a pending subtype.



 For acute hepatitis events, entering a date in this field will lock the event information, so all data entry for these events must be complete before entering a record complete date. If you need to go back and edit data, click 'unlock' under record complete date, make your changes, and click 'unlock' again.

Acute Hepatitis B Wizard



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview


The acute Hepatitis B wizard (titled "**Hepatitis B & D Acute**" in WDRS) matches the official Washington State Department of Health (DOH) <u>acute hepatitis B case reporting form</u>.

For information on the **Administrative/Event Administration** wizard sections, which are consistent across most wizards, please see the introductory **Wizards** section of this guide.

Outbreak

Only used in the event of an Outbreak. Call the subject matter expert (SME) in the event of an outbreak.

Report Source(s)




Report source (♦)

• This field is for documenting the source(s) that reported the Hepatitis event to the investigator (e.g. via a lab report or reporting form)

Report date

• **Report date** is the date given on the report itself. For example, if the report source is a laboratory, the report date is the date the lab sent the report to the LHJ (e.g. date of fax submission). If there is no date on the report source, use the **LHJ notification date**.

Demographics



Date of birth

This field will autofill based on the birth date entered on the initial 'Person' page when
the contact was created. To edit 'Birth Date' information, return to the Event Summary
page and select the 'Persons' tab. Click the 'Edit Person' button to manage information
about the patient (see <u>Tips and Tricks</u>).

Sex at birth

- This field will autofill based on the sex selected on the initial 'Person' page upon event creation. It should be entered as the biological sex of the patient at birth.
- To edit 'Sex at birth' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see <u>Tips and Tricks</u>).

Primary/preferred language

 Indicate the language the patient prefers for communication by selecting the search icon and entering for the name of the language. If you are unsure of spelling you can use the 'Wildcard Function,' (see <u>Tips and Tricks</u>).



 Once you have found the language desired, select from the list generated below by double clicking on the language or single click on the language and click the 'Select' button. You can remove languages with the trash icon next to the window.




Patient is employed and/or student (including daycare)

- Indicate whether the patient is employed and/or a student.
- Additional questions will appear once you select 'Employed' or 'Student (including daycare)'.


Patient is employed and/or student (including daycare)	☐ Employed ✓ Student (including daycare) ☐ Unknown
School/child care	
Zip code (school)	

Communications




Interview performed

- If "Yes," additional questions will appear:
 - o **Date of patient interview** (♦) is required to be filled in.
 - Interviewer
 - Enter the name of the interviewer here (free text field).
- If "No," an additional question will appear:
 - Select 'Reason why no interview performed' from the drop down menu.




Alternative Contact



Alternative Contact Type (♦)

• Select friend, parent/guardian, spouse/partner, or other for contact type

Clinical Evaluation



Fields marked with asterisks (*) in this section are very important for classifying and reporting hepatitis events to CDC.

For **Symptom onset date** and **Acute diagnosis date**, see <u>Tips and Tricks</u> for guidance on **uncertain dates**.


Vaccination History

Vaccination History		
Washington Immunization Information System (WA IIS) number		
Documented immunity to hepatitis A (due to either vaccination or previous infection)	Yes - vaccination	
Number of doses of HBV vaccine in past	0	

Documented immunity to hepatitis A

Select 'Yes' for this field only if documented doses with dates are available. When
patient reports vaccination but no documentation of doses is available, select
'Unknown' and make a note on the Event Summary dashboard.

Pregnancy



Pregnancy (at time of initial report or at the time of any subsequent positive test result)
 (♦) – Pregnancy questions will appear only for women of childbearing age. If the questions do not appear, go back to "Edit Person" screen and make sure that the correct DOB (age between 11 and 50 years) and sex (female) are entered.

 Multiple pregnancies can be recorded by selecting the 'Add New' button that appears next to the selection box.

Estimated delivery date

• If estimated delivery date is completely unknown, leave the field blank. If only the month and year are known, input the 1st for day.

OB Name

Use the search icon to select the name of the OB/GYN. If you are unsure
of spelling you can use the 'Wildcard Function' (see Tips and Tricks).



Reported to Perinatal Hepatitis B Prevention Program (PHBPP)



• 'Reported to Perinatal Hepatitis B Prevention Program (PHBPP)' = 'Yes' is required for any woman with chronic hepatitis B that is noted as pregnant at the time of initial report, or at the time of any subsequent positive test report.

Would you like to add a new infant (♦)

After delivery, it is possible to enter and track the information of infants in WDRS
 (optional). Multiple entries for multiple pregnancy (twins, triplets, etc.) are possible.
 However, if this is done, it is important that all HBIG, vaccine dose information, and post testing date and result must also be entered into the PHBPP case management module so that it is available to the DOH PHBPP Coordinator for program management and outcome tracking purposes.

Laboratory Diagnostics


	LABORATORY DIAGNOSTICS			
Enter all laboratory results in the Investigation Template/Lab Tab.				
Negative HBsAg within the prior six months	Yes ▼			
Hepatitis B surface antigen (HBsAg)	•			
Hepatitis B core antigen IgM (anti-HBc IgM)	•			
HBeAg	T			
HBV DNA qualitative	v			
HBV DNA quantitative				
HBV genotype				
Anti-HDV	Y			
HDV RNA	v			
Lab test for acute HDV infection	T			
ALT (SGPT) collection date				



Only 'Negative HBsAg within the prior six months' can be entered here.

You must use the Lab Results tab for manually entering lab results. For more
information on entering lab results see the Lab Results Instruction Manual.

Hospitalization



Hospitalized at least overnight for this illness? (♦)

- If 'Yes', additional questions will appear.
 - Hospital facility name: Use the search icon to select a hospital name. It is suggested that you use the 'Wildcard Function' (see <u>Tips</u> and <u>Tricks</u>).




If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the facility name in the specify hospital field.


Death




- To enter death data, the vital status must be marked as dead in the '**Persons**' tab <u>after</u> the event has been created.
- To change vital status, you must select 'Edit Person' in the 'Persons' tab (see <u>Tips and Tricks</u>).

Exposure









Acute exposures are asking only about the exposure period, which is 180 days (6 months) before symptom onset to 45 days before symptom onset.

Exposure dates: 180 days before symptoms onset date to 45 days before symptoms onset date

 Exposure dates will auto-calculate based on the symptom onset date entered in the <u>Clinical Evaluation</u> question package.

Travel out of state, out of the country or outside of usual routine (♦)

• If 'Yes,' select country, county, state, unknown and select destination.

Contact with a confirmed or suspected hepatitis B case (♦)

• If 'Yes,' select type of contact.

Congregate living (♦)

• If 'Yes,' select type of congregate living.

Any suspect medical or dental exposure

- If 'Yes,' describe exposure.
- A suspect medical or dental exposure includes any potential blood-borne exposure not listed.

Ear or body piercing (♦)

- If 'Yes,' additional follow up questions will appear:
 - Specify: specify the body site of the piercing.
 - Address/name: specify the address and name of the shop that performed the piercing.
 - o Body piercing was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.


Tattoo recipient (♦)

- If 'Yes', additional follow up questions will appear:
 - o Tattoo was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Ever injected drugs not prescribed by doctor, even if only once or a few times

- If 'Yes', additional follow up questions will appear:
 - Select injection drug use type.
 - Make sure to check all that apply.


Exposure Summary



Most likely exposure

• Most likely exposure is a required field. Unanswered required fields will show as incomplete in the **Event Data tab** status.

Public Health Issues



Employed as a health care worker


• If "Yes," this will trigger additional questions to appear under the Public Health Actions section.

Did case donate blood products, organs or tissue (including ova or semen) in the 30 days before symptoms onset

• If "Yes," specify whether "Blood products, "Organs," or "Tissue (including ova or semen)" was donated.

Public Health Actions

	Public Health Actions
Notified blood or tissue bank (if recent donation)	Yes
Counseled on measure to avoid transmission	Yes 🔻
Recommended hepatitis A vaccination if at risk and susceptible	Yes
Notified healthcare facility if case had suspected exposure at facility	Yes 🔻
Notified healthcare facility if case may have transmitted to others at facility	Yes 🗸




Other

If other public health actions were taken, then specify (free text).

Evaluated contacts

- Selecting yes to this question will trigger the **Contacts** section in the wizard.
- You must hit 'Save and Stay' after selecting yes to this question for the contacts section to allow you to enter information about each contact.
- If you wish to enter contact information for acute hepatitis B, exit the wizard (by saving) and go to the **Contacts** question package in the 'Event Data' tab.
- The <u>Contacts question package</u> becomes available for an event if **Evaluated contacts** is marked as **"Yes"** in the **"PH Actions"** section.

Administrative



LHJ record complete date



 Entering a date for LHJ record complete date will lock the acute event information for editing. Complete all data entry for acute hepatitis events before entering a record complete date.



Do not change an existing acute event from acute to chronic. Rather, add a chronic disease status in the <u>Administrative question package</u>. When an acute event is marked as complete in the Administrative question package, all acute fields in the <u>Exposure question package</u> will be locked.

Command buttons



Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Chronic Hepatitis B Surveillance Wizard



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview


Wizard should be used if you have received a report of a new chronic Hepatitis B Surveillance
Wizard should be used if you have received a report of a new chronic Hepatitis B event and
plan on investigating and following up with the patient. The Chronic Hepatitis B Surveillance
Wizard should be used if you have received a report of a new chronic Hepatitis B event but you are not able to conduct an interview with the patient.

For information on the **Administrative/Event Administration** wizard sections, which are consistent across most wizards, please see the introductory **Wizards** section of this guide.

Outbreak

Only used in the event of an Outbreak. Call the subject matter expert (SME) in the event of an outbreak.

Report Source(s)




Report source (♦)

• This field is for documenting the source(s) that reported the Hepatitis event to the investigator (e.g. via a lab report or reporting form).

Report date

• **Report date** is the date given on the report itself. For example, if the report source is a laboratory, the report date is the date the lab sent the report to the LHJ (e.g. date of fax submission). If there is no date on the report source, use the **LHJ notification date**.

Demographics



Date of birth


• This field will autofill based on the birth date entered on the initial 'Person' page when the contact was created. To edit 'Birth Date' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see <u>Tips and Tricks</u>).

Sex at birth

- This field will autofill based on the sex selected on the initial 'Person' page upon event creation. It should be entered as the biological sex of the patient at birth.
- To edit 'Sex at birth' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see <u>Tips and Tricks</u>).

Clinical Evaluation


CLINICAL EVALUATION				
* Chronic diagnosis date	MM/DD/YYYY			
Age at diagnosis (patient reported)				
Hepatitis D diagnosis year				



Reason(s) for Initial Screening (select all that apply)

Select yes, no, or unknown to each question on reason for initial screening.

Pregnancy



- Pregnancy (at time of report) (♦) Pregnancy questions will appear only for women of childbearing age. If the questions do not appear, go back to "Edit Person" screen and make sure that the correct DOB (age between 11 and 50 years) and sex (female) are entered.
- Multiple pregnancies can be recorded by selecting the 'Add New' button that appears next to the selection box.

Estimated delivery date

• If estimated delivery date is completely unknown, leave the field blank. If only the month and year are known, input the 1st for day.

OB Name

Use the search icon to select the name of the OB/GYN. If you are unsure
of spelling you can use the 'Wildcard Function' (see <u>Tips and Tricks</u>).



Reported to Perinatal Hepatitis B Prevention Program (PHBPP)



• 'Reported to Perinatal Hepatitis B Prevention Program (PHBPP)' = 'Yes' is required for any woman with chronic hepatitis B that is noted as pregnant at the time of initial report, or at the time of any subsequent positive test report.

Would you like to add a new infant (♦)

After delivery, it is possible to enter and track the information of infants in WDRS
 (optional). Multiple entries for multiple pregnancy (twins, triplets, etc.) are possible.
 However, if this is done, it is important that all HBIG, vaccine dose information, and post
 testing date and result must also be entered into the PHBPP case management module
 so that it is available to the DOH PHBPP Coordinator for program management and
 outcome tracking purposes.

Death



- To enter death data, the vital status must be marked as dead in the 'Persons' tab <u>after</u> the event has been created.
- To change vital status, you must select 'Edit Person' in the 'Persons' tab (see <u>Tips and</u> Tricks).


Exposures


EXPOSURES (If not otherwise specified report exposure information over the lifetime)		
Long term hemodialysis	Yes ▼	
Employed in job with potential for exposure to human blood or body fluids	Yes ▼	
Born outside US	Yes ▼	
Country		
Ever injected drugs not prescribed by doctor, even if only once or a few times	Yes ▼	

Born outside the US

If 'Yes,' select the country and number of years in US.

Laboratory Diagnostics








You must use the Lab Results tab for manually entering lab results. For more
information on entering lab results see the Lab Results Instruction Manual.

Administrative



DOH case classification

• The event will auto-classify based on lab results. DOH subject matter experts (SMEs) may decide to override the classification, if appropriate.

Command buttons



Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Chronic Hepatitis B Interview Wizard



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

Wizard should be used if you have received a report of a new chronic Hepatitis B Surveillance

Wizard should be used if you have received a report of a new chronic Hepatitis B event and plan on investigating and following up with the patient. The Chronic Hepatitis B Surveillance


Wizard should be used if you have received a report of a new chronic Hepatitis B event but you are not able to conduct an interview with the patient.

For information on the **Administrative/Event Administration** wizard sections, which are consistent across most wizards, please see the introductory **Wizards** section of this guide.

Outbreak

Only used in the event of an Outbreak. Call the subject matter expert (SME in the event of an outbreak.

Report Source(s)




Report source (♦)

• This field is for documenting the source(s) that reported the Hepatitis event to the investigator (e.g. via a lab report or reporting form).

Report date

• **Report date** is the date given on the report itself. For example, if the report source is a laboratory, the report date is the date the lab sent the report to the LHJ (e.g. date of fax submission). If there is no date on the report source, use the **LHJ notification date**.

Demographics



Date of birth

• This field will autofill based on the birth date entered on the initial 'Person' page when the contact was created. To edit 'Birth Date' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see <u>Tips and Tricks</u>).

Sex at birth

- This field will autofill based on the sex selected on the initial 'Person' page upon event creation. It should be entered as the biological sex of the patient at birth.
- To edit 'Sex at birth' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see **Tips and Tricks**).


Communications



Interview performed (♦)

- If "Yes," additional questions will appear:
 - Date of patient interview is required to be filled in.
 - o Interviewer.
 - Enter the name of the interviewer here (free text field).


Alternative Contact



Alternative Contact Type (♦)


• Select friend, parent/guardian, spouse/partner, or other for contact type.

Communications (Optional LHJ use)



- Data entry in WDRS is optional for this section.
- Multiple communications can be recorded by selecting the 'Add New' button that appears next to the selection box.


Clinical Evaluation




Reason(s) for Initial Screening (select all that apply)

Select yes, no, or unknown to each question on reason for initial screening.

Comorbidities






Select yes, no, or unknown to each question on comorbidities.

- If 'Yes', additional questions will appear, such as diagnosis date.
 - For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.

Pregnancy



- Pregnancy (at time of report) (♦) Pregnancy questions will appear only for women of childbearing age. If the questions do not appear, go back to "Edit Person" screen and make sure that the correct DOB (age between 11 and 50 years) and sex (female) are entered.
- Multiple pregnancies can be recorded by selecting the 'Add New' button that appears next to the selection box.

Estimated delivery date

• If estimated delivery date is completely unknown, leave the field blank. If only the month and year are known, input the 1st for day.

OB Name

• Use the **search icon** to select the name of the OB/GYN. If you are unsure of spelling you can use the 'Wildcard Function' (see Tips and Tricks).



Reported to Perinatal Hepatitis B Prevention Program (PHBPP)




• 'Reported to Perinatal Hepatitis B Prevention Program (PHBPP)' = 'Yes' is required for any woman with chronic hepatitis B that is noted as pregnant at the time of initial report, or at the time of any subsequent positive test report.

Would you like to add a new infant (♦)

After delivery, it is possible to enter and track the information of infants in WDRS
 (optional). Multiple entries for multiple pregnancy (twins, triplets, etc.) are possible.
 However, if this is done, it is important that all HBIG, vaccine dose information, and post testing date and result must also be entered into the PHBPP case management module so that it is available to the DOH PHBPP Coordinator for program management and outcome tracking purposes.


Laboratory Diagnostics





You must use the Lab Results tab for manually entering lab results. For more
information on entering lab results see the Lab Results Instruction Manual.

Hospitalization



Hospitalized at least overnight for this illness? (♦)

- If 'Yes', additional questions will appear.
 - Hospital facility name: Use the search icon to select a hospital name. It
 is suggested that you use the 'Wildcard Function' (see Tips and Tricks).




If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the facility name in the specify hospital field.

Death



- To enter death data, the vital status must be marked as dead in the '**Persons**' tab <u>after</u> the event has been created.
- To change vital status, you must select 'Edit Person' in the 'Persons' tab (see <u>Tips and Tricks</u>).

Exposure



Approximate number of lifetime sex partners	
Received treatment for an STD	\checkmark
Ever injected drugs not prescribed by doctor, even if only once or a few times	lacksquare

Employed in job with potential for exposure to human blood or body fluids

- If 'Yes,' select date.
- If 'Yes', select the type of job.

Born outside the US

• If 'Yes,' select the country and number of years in US.


Contact with a confirmed or suspected hepatitis B case (♦)

• If 'Yes,' select type of contact.

Ever injected drugs not prescribed by doctor, even if only once or a few times

- If 'Yes', additional follow up questions will appear:
 - Select injection drug use type.
 - Make sure to check all that apply.


Exposure Summary




Most likely exposure

 Most likely exposure is a required field. Unanswered required fields will show as incomplete in the Event Data tab status

Public Health Issues and Actions






Evaluated contacts

- Selecting yes to this question will trigger the **Contacts** section in the wizard.
- You must hit 'Save and Stay' after selecting yes to this question for the Contacts section to allow you to enter information about each contact.
- If you wish to enter contact information for acute hepatitis B, exit the wizard (by saving) and go to **Contacts question package** in 'Event Data' tab.
- The Contacts question package becomes available for an event if **Evaluated contacts** is marked as **"Yes"** in the **"PH Actions"** section.

Administrative



DOH case classification

• The event will auto-classify based on lab results. DOH SMEs may decide to override the classification if appropriate.

Command buttons



Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Perinatal Hepatitis B Wizard



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview


Wizards are a way to make data entry or data viewing easier. The perinatal hepatitis B wizard (called "Hepatitis B – Perinatal" in WDRS) matches the official DOH perinatal hepatitis B case reporting form. The Perinatal Hepatitis B Wizard should be used only to enter children 24 months of age or under that were born in the United States and that have laboratory evidence of hepatitis B infection at least 3-6 months following the final dose of hepatitis B vaccine in the series (usually at ~9-12 months of age). To be a confirmed case, documentation that the birth mother was infected with hepatitis B must be available. Please verify that for each woman reported as pregnant and infected with hepatitis B, a chronic hepatitis B event has been created in WDRS.

For information on the **Administrative/Event Administration** wizard sections, which are consistent across most wizards, please see the introductory **Wizards** section of this guide.

Outbreak

Only used in the event of an Outbreak. Call the subject matter expert (SME) in the event of an outbreak.

Report Source(s)




Report source (♦)

• This field is for documenting the source(s) that reported the Hepatitis event to the investigator (e.g. via a lab report or reporting form).

Report date

• **Report date** is the date given on the report itself. For example, if the report source is a laboratory, the report date is the date the lab sent the report to the LHJ (e.g. date of fax submission). If there is no date on the report source, use the **LHJ notification date**.

Demographics (Refers to Child <24 Months of Age)



Date of birth

• This field will autofill based on the birth date entered on the initial 'Person' page when the contact was created. To edit 'Birth Date' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see **Tips and Tricks**).

Sex at birth

- This field will autofill based on the sex selected on the initial 'Person' page upon event creation. It should be entered as the biological sex of the patient at birth.
- To edit 'Sex at birth' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see <u>Tips and Tricks</u>).

Primary/preferred language


 Indicate the language the patient prefers for communication by selecting the search icon and entering for the name of the language. If you are unsure of spelling you can use the 'Wildcard Function,' (see <u>Tips and Tricks</u>).



 Once you have found the language desired, select from the list generated below by double clicking on the language or single click on the language and click the 'Select' button. You can remove languages with the trash icon next to the window.




Communications




Interview performed (♦)

- If "Yes," additional questions will appear:
 - o **Date of patient interview** is required to be filled in.
 - Interviewer
 - Enter the name of the interviewer here (free text field).
- If "No," an additional question will appear:
 - Select 'Reason why no interview performed' from the drop down menu.




Alternative Contact



Alternative Contact Type

• Select friend, parent/guardian, spouse/partner, or other for contact type.

Clinical Evaluation - Maternal Information



Asian
Black or African American
Native Hawiaiian or other Pacific Islander
White
Other race

Delivery Hospital

- Use the **search icon** to select a hospital name. It is suggested that you use the 'Wildcard Function' (see Tips and Tricks).
 - o If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the name of the facility in the specify hospital field.

Onset and Diagnosis

Onset and Diagnosis				
* Symptom onset date	MM/DD/YYYY			
Enter date of testing as onset date.				
Asymptomatic <u>with</u> risk factors	▼			
Symptoms of acute hepatitis (vomiting, diarrhea, abdominal pain, anorexia, nausea, or fever)	▼			

Symptom onset date

- Enter the date of testing that lead to the diagnosis of perinatal hepatitis B infection in this child (i.e., testing that was done after the vaccine series are completed, at 9 months or later).
- This date will be used to calculated CDC year (i.e., year the case is reported to CDC).

Infant Vaccination History

Infant Vaccination	ı History
Washington Immunization Information System (WA IIS) number	
Received HBIG	Yes ▼
* Date received	02/05/2018
* Timing of HBIG	0-12 hours after birth ▼
Received hepatitis B containing vaccine	Yes ▼
Number of doses	2 🔻
Date of vaccine administration ⊟	04/08/2018
Vaccine administered (type)	Single-antigen HBV ▼
Vaccine brand name	Engerix-B ▼
Vaccine lot number	
Vaccine manufacturer	
Administering provider	Not answered 🐿 î
Information source	WIIS ▼
Date of vaccine administration ⊟	05/08/2018 Add New
Vaccine administered (type)	HBV combination ▼
Vaccine brand name	Comvax ▼


Received HBIG

- If "Yes," additional questions will appear:
 - Date received is a required field.
 - Select 'Timing of HBIG' from the drop down menu.

Received hepatitis B containing vaccine

- If "Yes," additional questions will appear:
 - O Number of doses: Enter the number of doses.
 - Date of vaccine administration (♦)
 - After entering 'Date of vaccine administration', additional questions (e.g., vaccine type, brand name, lot number, manufacturer, etc.) will appear.

Insurance



Insurance status date


- Enter the 'Insurance state date'. Additional questions will appear:
 - o **Patient has insurance**: If "Yes," additional questions will appear:
 - For type of insurance, select all that apply.

Death



- To enter death data, the vital status must be marked as dead in the 'Persons' tab <u>after</u> the event has been created.
- To change vital status, you must select 'Edit Person' in the 'Persons' tab (see <u>Tips and Tricks</u>).


Laboratory Diagnostics





You must use the Lab Results tab for manually entering lab results. For more
information on entering lab results see the <u>Lab Results Instruction Manual</u>.

Public Health Issues and Actions



- Enter whether failure of vaccine or postexposure prophylaxis is indicated.
- Enter whether parents were counseled about the importance of vaccines and of regular healthcare (for HBV infected persons) to monitor liver health.

Administrative



LHI record complete date



 Entering a date for LHJ record complete date will lock the acute event information for editing. Complete all data entry for acute hepatitis events before entering a record complete date.



• Do not change an existing perinatal event from perinatal to chronic. Rather, add a chronic disease status in the <u>Administrative question package</u>. When an acute hepatitis event is marked as complete in the Administrative question package, all acute fields in the Exposure question package will be locked.

Command buttons



Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Acute Hepatitis C Wizard



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview


Wizards are a way to make data entry or data viewing easier. The acute hepatitis C wizard (called "Acute HCV" in WDRS) matches the official DOH acute hepatitis C case reporting form.

For information on the **Administrative/Event Administration** wizard sections, which are consistent across most wizards, please see the introductory <u>Wizards</u> section of this guide.

Outbreak

Only used in the event of an Outbreak. Call the subject matter expert (SME) in the event of an outbreak.


Report Source(s)



Report source (♦)

- This field is for documenting the source(s) that reported the Hepatitis event to the investigator (e.g. via a lab report or reporting form)
- **Report date** is the date given on the report itself. For example, if the report source is a laboratory, the report date is the date the lab sent the report to the LHJ (e.g. date of fax submission). If there is no date on the report source, use the **LHJ notification date**.
- Report subtype indicates for which disease subtype (acute, chronic or perinatal) the
 report was made. This is an important field to complete in order to distinguish report
 sources for a case that may have multiple disease subtypes (i.e. an acute case that
 becomes chronic).

Demographics



Date of birth

This field will autofill based on the birth date entered on the initial 'Person' page when
the contact was created. To edit 'Birth Date' information, return to the Event Summary
page and select the 'Persons' tab. Click the 'Edit Person' button to manage information
about the patient (see Tips and Tricks).

Sex at birth

- This field will autofill based on the sex selected on the initial 'Person' page upon event creation. It should be entered as the biological sex of the patient at birth.
- To edit 'Sex at birth' information, return to the Event Summary page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see <u>Tips and Tricks</u>).

Primary/preferred language


 Indicate the language the patient prefers for communication by selecting the search icon and entering for the name of the language. If you are unsure of spelling you can use the 'Wildcard Function,' (see Tips and Tricks).



 Once you have found the language desired, select from the list generated below by double clicking on the language or single click on the language and click the 'Select' button. You can remove languages with the trash icon next to the window.



Communications



Interview performed

- If "Yes," additional questions will appear:
 - Date of patient interview (♦) is required to be filled in.
 - Interviewer
 - Enter the name of the interviewer here (free text field).


Alternative Contact



Alternative Contact Type

• Select friend, parent/guardian, spouse/partner, or other for contact type.


Clinical Evaluation



Fields marked with asterisks (*) in this section are very important for classifying and reporting cases to CDC.

For **Symptom onset date** and **Acute diagnosis date**, see <u>Tips and Tricks</u> for guidance on **uncertain dates**.

Pregnancy



Estimated delivery date


• If estimated delivery date is completely unknown, leave the field blank. If only the month and year are known, input the 1st for day.

OB Name

Use the search icon to select the name of the OB/GYN. If you are unsure
of spelling you can use the 'Wildcard Function' (see Tips and Tricks).



Diagnostics






You must use the Lab Results tab for manually entering lab results. For more
information on entering lab results see the Lab Results Instruction Manual.

Hepatitis C antibody negative result followed by Hepatitis C antibody positive result collected within 12 months (test conversion)

Select 'Yes' if the patient had a documented negative antibody result in the last 12 months. If possible, enter the negative antibody result by navigating to the Lab Results tab on the Event Summary screen.

Clinical Evaluation - Hospitalization



Admitted date	MM/DD/YYYY
Discharged date	MM/DD/YYYY
Length of stay (days)	

Hospitalized at least overnight for this illness? (♦)

- If 'Yes', additional questions will appear.
 - Hospital facility name: Use the search icon to select a hospital name. It
 is suggested that you use the 'Wildcard Function' (see <u>Tips and Tricks</u>).



If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the facility name in the specify hospital field.

Death

DEATH		
If deceased, please change the vital status and update date of death on the Edit Person screen.		
Deceased	Alive ▼	

- To enter death data, the vital status must be marked as dead in the 'Persons' tab <u>after</u> the event has been created.
- To change vital status, you must select 'Edit Person' in the 'Persons' tab (see <u>Tips and Tricks</u>).

Exposure

EXF	OSURE		
Exposure dates: 180 days before symptoms onset date to 14 days before symptoms	otoms onset date:	07/19/2017 t	o 01/01/2018
Travel out of state, out of the country or outside of usual routine			▼
Case knows anyone with similar symptoms			▼
Contact with a confirmed or suspected hepatitis C case (acute or chronic)			▼
Congregate living			▼
Any suspect medical or dental exposure			▼
Surgery (including outpatient), other medical procedures, hospitalized during ex	posure period		▼
Hemodialysis			▼
IV or injection as outpatient/IV infusion or injection in outpatient setting			▼
Transfusion, blood product or transplant			▼
Dental work or oral surgery	•		
Employed in job with potential for exposure to human blood or body fluids	•		
Other exposure to someone else's blood (including first aid)	▼		
Accidental stick or puncture with sharps contaminated with blood or body fluid	•		
Ear or body piercing	▼		
Received acupuncture	•		
Tattoo recipient	•		
Shared razor, toothbrushes or nail care items	•		
Non-injection street drug use/use street drugs	▼		
Injected drugs not prescribed by doctor, even if only once or a few times	▼		
Number of female sexual partners (during exposure period)			
Number of male sexual partners (during exposure period)			
Received treatment for an STD	▼		





Acute exposures are asking only about the exposure period, which is 180 days (6 months) before symptom onset to 14 days before symptom onset.

Exposure dates: 180 days before symptoms onset date to 45 days before symptoms onset date

 Exposure dates will auto-calculate based on the symptom onset date entered in the <u>Clinical Evaluation</u> question package.

Travel out of state, out of the country or outside of usual routine (♦)

• If 'Yes,' select country, county, state, unknown and select destination.

Contact with a confirmed or suspected hepatitis C case (♦)

• If 'Yes,' select type of contact.

Congregate living (♦)

• If 'Yes,' select type of congregate living.

Any suspect medical or dental exposure

- If 'Yes,' describe exposure.
- A suspect medical or dental exposure includes any potential blood-borne exposure not listed.

Ear or body piercing (♦)

- If 'Yes,' additional follow up questions will appear:
 - Specify: specify the body site of the piercing.
 - Address/name: specify the address and name of the shop that performed the piercing.
 - Body piercing was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Tattoo recipient (♦)

- If 'Yes', additional follow up questions will appear:
 - Tattoo was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Ever injected drugs not prescribed by doctor, even if only once or a few times

- If 'Yes', additional follow up questions will appear:
 - Select injection drug use type.
 - Make sure to check all that apply.


Acute Exposure Summary



Most likely exposure

 Most likely exposure is a required field. Unanswered required fields will show as incomplete in the Event Data tab status.

Public Health Issues



Employed as a health care worker

• If "Yes," this will trigger additional questions to appear under the Public Health Actions section.

Did case donate blood products, organs or tissue (including ova or semen) in the 30 days before symptoms onset

If "Yes," specify whether "Blood products, "Organs," or "Tissue (including ova or semen)" was donated.

Public Health Actions

	PUBLIC HEALTH ACTIONS
Notified blood or tissue bank (if recent donation)	▼
Counseled on measure to avoid transmission	▼
Recommended hepatitis A vaccination if at risk and susceptible	▼
Recommended hepatitis B vaccination if at risk and susceptible	▼
Notified healthcare facility if case may have transmitted to others at facility	•
Notified healthcare facility if case had suspected exposure at facility	v
Counseled patient regarding retesting in 3-6 months	▼
Woman counseled about pregnancy risks	▼
Counseled about transmission risk to baby if pregnant	▼
Other	
* Evaluated contacts	Yes ▼


Other


• If other public health actions were taken, then specify (free text).

Evaluated contacts

- Selecting yes to this question will trigger the contact section in the wizard.
- You must hit 'Save and Stay' after selecting yes to this question for the contacts section to allow you to enter information about each contact.

Contacts





Use this section to record information about each contact that is evaluated for an event. This question package becomes available for an event if **Evaluated contacts** is marked as "Yes" in the "PH Actions" section.



If your case is linked to a contact that becomes a new or is an existing WDRS case, **the contact** will have a question package available named "**Link to Original Patient.**" The information in this question package **is for reference only**.

Would you like to add a new contact?

• Selecting "Yes" to this question will trigger additional questions to appear.

Search for existing event

• Select the **search icon** to search for whether there is already an existing 1) person **and** 2) Hepatitis C event in WDRS for this contact.



- If you are unsure of spelling, you can use the '<u>Wildcard Function</u>' (see <u>Tips and</u> Tricks).
- Select the appropriate event, if there is already both an existing 1) person and 2)
 Hepatitis C event in WDRS for the contact.

Search for existing person

 Select the search icon to search for whether there is already an existing person in WDRS, if you are certain that the person has not already been reported as having Hepatitis C in WDRS.



- If you are unsure of spelling, you can use the '<u>Wildcard Function</u>' (see <u>Tips and</u> Tricks).
- Select the appropriate person, if there is already an existing person record in WDRS for the contact.

Existing person not found - add new

- If you are sure that there is not an existing person/event record in WDRS for the contact:
 - For known Hepatitis B- or C-infected cases (e.g. contacts who have Hepatitis B or C laboratory results).
 - Select "Add new person and event." This will trigger additional questions to appear.

- For contacts that are **not known** to be Hepatitis B- or C-infected cases (e.g. contacts who were exposed to the original case, but not tested).
 - Select "Not enough info to merit PH action." This will trigger additional questions to appear.

User

- Use this field to record who evaluated the contact or is entering the data associated with the contact in this section.
- Select the **search icon** to search for and select your WDRS user name.

OK to talk with this contact

- Is it okay to reach out to this contact?
- If "Later" is selected, you can indicate the Date patient can be contacted.

Interview category

• If the contact is interviewed, you can indicate what reporting form was used.

Contact interview date

• If you are able to interview the contact, please indicate the date the interview occurred.

Referred to PCP for evaluation


• Was the contact referred to a Primary Care Physician (PCP) for evaluation?

Create/Edit Contact

Are you ready to save and copy this information to the other event?


- Once you have completed the "Contacts Information" section:
 - If the contact becomes a new WDRS case or is already an existing WDRS case, select "Yes." Information on this screen will be copied to a question package named "Link to Original Patient" in the contact's case record.
 - If the contact is not known to be a Hepatitis C-infected case, leave this field blank.

Administrative



LHJ record complete date







• Do not change an existing acute hepatitis event from acute to chronic. Rather, add a chronic disease status in the Administrative question package. When an acute event is marked as complete in the Administrative question package, all acute fields in the Exposure question package will be locked.

Command buttons



Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Chronic Hepatitis C Lab Surveillance Wizard




Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

Wizards are a way to make data entry or data viewing easier. The lab surveillance wizard (called "Chronic HCV case – lab surveillance only" in WDRS) will be used for the vast majority of chronic records, and mirrors the DOH "Hepatitis C Chronic, lab only" reporting form. If you have received a lab report for a new chronic Hepatitis C case, please use this wizard if you do not plan on pursuing any further investigations.

Administrative



Zip code	
County	King County
* County of diagnosis (accountable county)	King County ▼

Confirm subtype

- Select 'yes' to confirm subtype (acute, chronic, and/or perinatal) as soon as possible. Additional question packages will become available after subtype is confirmed.
- To change subtype after it has been confirmed, you must select 'unlock' under disease status in the **Administrative** question package.



 After confirming subtype: Changing the subtype in the administrative question package, after data has been entered, will result in loss of all information entered in the wizard.

Report source (♦)

- This field is for documenting the source(s) that reported the Hepatitis event to the investigator (e.g. via a lab report or reporting form)
- **Report date** is the date given on the report itself. For example, if the report source is a laboratory, the report date is the date the lab sent the report to the LHJ (e.g. date of fax submission). If there is no date on the report source, use the **LHJ notification date**.
- Report subtype indicates for which disease subtype (acute, chronic or perinatal) the
 report was made. This is an important field to complete in order to distinguish report
 sources for a case that may have multiple disease subtypes (i.e. an acute case that
 becomes chronic).

LHI notification date

- Enter the date that the LHJ was notified of the event.
- The **LHJ notification date** can be different than the **Report date**. For example, if King County received a Pierce County lab result dated 2/1 and sent the lab to Pierce County on 2/5, the **Report date** would be 2/1 and the **LHJ notification date** would be 2/5.

Investigator

- Use this field to record the investigator responsible for this event.
- Select the **search icon** to search for and select your WDRS username (this is the same as your SAW user ID).








Investigation start date

• The investigation start date is the date the investigator initiated action on the event.

Address Information


• Select the address at the time of reporting in Washington State. The county of diagnosis (accountable county) will autofill based on address selected.





- To edit or add an address, navigate to the **Event Summary** screen, click on the **Persons** tab, and select 'Edit Person'. You can also click on the hyper-linked name of the person in the **Basic Information** section, and select 'Edit Person' (see **Tips and Tricks**).
- If the record was created by an Electronic Laboratory Report (ELR) submission, the address on the lab report will be copied into the person record automatically. It can then be selected using the address selection link in the wizard.
- If a residential address is not available, the address of the provider or laboratory will be used to assign a record to an accountable county.

Demographics




Date of birth

This field will autofill based on the birth date entered on the initial 'Person' page when
the contact was created. To edit 'Birth Date' information, return to the Event Summary
page and select the 'Persons' tab. Click the 'Edit Person' button to manage information
about the patient (see <u>Tips and Tricks</u>).

Sex at birth

- This field will autofill based on the sex selected on the initial 'Person' page upon event creation. It should be entered as the biological sex of the patient at birth.
- To edit 'Sex at birth' information, return to the Event Summary page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see <u>Tips and Tricks</u>).


Laboratory Diagnostics





You must use the Lab Results tab for manually entering lab results. For more
information on entering lab results see the Lab Results Instruction Manual.

Administrative



Investigation status

• The investigation status must be marked as "Complete," "Complete – not reportable to DOH," or "Unable to complete" to enter a record complete date.

LHJ investigation complete date

• The investigation complete date is entered when an LHJ has completed their active investigation. This date is different than the record complete date.

LHJ record complete date

- The record complete date is entered when the LHJ is ready to complete the event.
- To complete an event, you must have the following fields answered:
 - County of diagnosis (accountable county).
 - LHJ notification date.
 - o Investigator.
 - o Investigation start date.
 - Investigation status.
 - Disease status. The hepatitis event must have a confirmed subtype (acute, chronic, or perinatal). An event cannot be closed with a pending subtype.
- Entering a date for LHJ record complete date will lock the acute event information for editing. Complete all data entry for acute hepatitis events before entering a record complete date.



Do not change an existing acute event from acute to chronic. Rather, add a chronic
disease status in the <u>Administrative question package</u>. When an acute event is marked
as complete in the Administrative question package, all acute fields in the Exposure
question package will be locked.

Case Classification

For DOH use only

Command buttons



Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Chronic Hepatitis C Wizard



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.


Overview

Wizards are a way to make data entry or data viewing easier. The chronic Hepatitis C wizard (called "Chronic HCV case – short form" in WDRS) mirrors the information on the DOH "Hepatitis C – chronic, short" reporting form and should be used if you have received a report of a new chronic Hepatitis C case and plan on investigating/following up with the patient, their medical provider, or another source. Please prioritize surveillance for persons born in 1992 or later, as well as women of childbearing age, and use the Chronic Hepatitis C wizard for these cases.



For information on the **Administrative/Event Administration** wizard sections, which are consistent across most wizards, please see the introductory **Wizards** section of this guide.


Report Source(s)




Report source (♦)

- This field is for documenting the source(s) that reported the Hepatitis event to the investigator (e.g. via a lab report or reporting form)
- **Report date** is the date given on the report itself. For example, if the report source is a laboratory, the report date is the date the lab sent the report to the LHJ (e.g. date of fax submission). If there is no date on the report source, use the **LHJ notification date**.
- Report subtype indicates for which disease subtype (acute, chronic or perinatal) the
 report was made. This is an important field to complete in order to distinguish report
 sources for a case that may have multiple disease subtypes (i.e. an acute case that
 becomes chronic).

Demographics






Date of birth

• This field will autofill based on the birth date entered on the initial 'Person' page when the contact was created. To edit 'Birth Date' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see **Tips and Tricks**).

Sex at birth

- This field will autofill based on the sex selected on the initial 'Person' page upon event creation. It should be entered as the biological sex of the patient at birth.
- To edit 'Sex at birth' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see <u>Tips and Tricks</u>).


Communications



Interview performed

- If "Yes," additional questions will appear:
 - Date of patient interview (♦) is required to be filled in.
 - Interviewer
 - Enter the name of the interviewer here (free text field).

Clinical Evaluation



Select yes, no, or unknown to each question on reason for initial screening.


Pregnancy



Pregnant (♦)

Select yes, no, or unknown


Laboratory Diagnostics





You must use the Lab Results tab for manually entering lab results. For more
information on entering lab results see the <u>Lab Results Instruction Manual</u>.

Exposure



	MDMA Ketamine PCP Opioids (prescription or non-prescription) Anabolic steroids Other	
Ever shared needles	Yes	
Ever shared other injection equipment	Unknown	
Ever used needle exchange services	Unknown 🔽	
Patient used injection drugs in the past 3 months	Yes	
* Most likely exposure	Injection drug use	

Other organ or tissue transplant recipient

- Select yes, no, or unknown.
 - If 'Yes,' select date.
 - For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.

Ear or body piercing (♦)

- If 'Yes,' additional follow up questions will appear:
 - Specify: specify the body site of the piercing.
 - Address/name: specify the address and name of the shop that performed the piercing.
 - o Body piercing was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Tattoo recipient (♦)

- If 'Yes', additional follow up questions will appear:
 - o Tattoo was performed at: select one of the following.
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Contact with a confirmed or suspected hepatitis C case (♦)

• If 'Yes,' select type of contact.

Ever injected drugs not prescribed by doctor, even if only once or a few times

• If 'Yes', additional follow up questions will appear:



- Select injection drug use type.
- Make sure to check all that apply.

Most likely exposure


• Most likely exposure is a required field. Unanswered required fields will show as incomplete in the **Event Data** tab status.

Death



- To enter death data, the vital status must be marked as dead in the 'Persons' tab <u>after</u> the event has been created.
- To change vital status, you must select 'Edit Person' in the 'Persons' tab (see <u>Tips and Tricks</u>).

Administrative



Investigation status

• The investigation status must be marked as "Complete," "Complete – not reportable to DOH," or "Unable to complete" to enter a record complete date.

LHJ investigation complete date

• The investigation complete date is entered when an LHJ has completed their active investigation. This date is different than the record complete date.

LHJ record complete date

- The record complete date is entered when the LHJ is ready to complete the event.
- To complete an event, you must have the following fields answered:
 - County of diagnosis (accountable county).
 - LHJ notification date.
 - Investigator.
 - o Investigation start date.

- Investigation status.
- Disease status. The hepatitis event must have a confirmed subtype (acute, chronic, or perinatal). An event cannot be closed with a pending subtype.
- Entering a date for LHJ record complete date will lock the acute event information for editing. Complete all data entry for acute hepatitis events before entering a record complete date.



Do not change an existing acute event from acute to chronic. Rather, add a chronic disease status in the <u>Administrative question package</u>. When an acute event is marked as complete in the Administrative question package, all acute fields in the Exposure question package will be locked.


Command buttons



Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Persons Who Have Been Reported as Both Acute and Chronic Cases


In the Hepatitis model, if a person has had both acute and chronic subtype information reported for a disease (Hepatitis B or Hepatitis C), then **both types of information are entered in the same event.** The following screenshot depicts a Hepatitis C event that has both acute and chronic subtypes confirmed. **Disease Status** can be located in either the <u>Administrative</u> <u>question package</u> or **through the applicable** <u>Wizard</u>:





When new labs indicate that a formerly acute case has become a chronic infection, the Chronic disease status should be **added** to the event record – **do not change** the disease status from Acute to Chronic **or you will lose all data entered in the Acute fields.**

Within a question package, groups of fields that are associated with a particular subtype (i.e. acute, chronic or perinatal) will be indicated by a descriptive header. The following screenshots are an example of these headers in the **Administrative question package**:



Transferring and Sharing Events/Cases

Event/Case Belongs to another Jurisdiction


If a person was incorrectly reported to your jurisdiction, you can transfer events/cases by updating the reporting address. Once the **County of diagnosis (accountable county)** field is updated in the **Administrative question package** (also available in **Wizards**), the new county will now have view and edit permissions. It will also enter one of the open event workflows of the other county, so long as the **LHJ record complete date** field in the **Administrative question package** (also available in **Wizards**) is empty.



WARNING: If you did not create the event, you will lose access to the event after updating the County of diagnosis (accountable county) field to a new jurisdiction. Refer to the Sharing an Event quick reference guide for an alternative way to share events with another jurisdiction.

Event/Case Has Moved to another Jurisdiction and You Would Like the New County to Have Edit Permissions

If you receive event information (e.g. lab results) that indicates that a person's residential county has changed (but the accountable county should stay the same), you may update the event's **Managing county** in the **Administrative question package**. This will allow that jurisdiction to edit the event. Please note that only the most recent managing county will have edit permissions (i.e. managing county permissions are not cumulative). The accountable county will always have edit permissions:



Managing county notification date

Input the date it became known the case had moved to a new jurisdiction.

Managing county

Input the county where the patient now lives.

LHJ case ID

If the new LHJ has a unique ID for this case, they can use this field to record it.


User

Automatically populated when "Managing county notification date" is input.

Notes

A place for the user to record any notes about the jurisdiction change.

Workflows



About Workflows

Washington Disease Reporting System (WDRS) includes workflows that organize events and the work that needs to be done on them. Workflows allow the user to keep track of Hepatitis events that may need to be investigated, reviewed, or completed. They capture records created from 1) manual entry and 2) labs reported electronically that are automatically imported into WDRS.



Most workflow queries update every 10 minutes. The frequency is based on the criticality of the workflow, as well as the burden on the system. Please allow 10 minutes before looking for changes that should cause an event to enter or exit a workflow.

This chapter contains a brief summary of the workflows available to Hepatitis investigators. Please refer to the <u>Hepatitis and GCD Local Health Jurisdiction Workflow Manual</u> for additional details on how to navigate the workflow screen.

Hepatitis Workflow Categories

Each workflow display shows the workflow queues, the total count of events in the workflow, the priority, and when the workflow was last updated. GCD and Hepatitis are in separate workflows. The categories of workflows for hepatitis are Open events, Lab reports for review – action required, and Potential chronic hepatitis cases – action required.

Below are all workflows available to Hepatitis investigators.

LIED	000 0 (51115				
	003 - Open events [LHJ]				
☆	HEP - Open Acute Hepatitis B events [LHJ]	5	Very High	05/10/2018 03:33 PM	i
☆	HEP - Open Acute Hepatitis C events [LHJ]	7	Very High	05/10/2018 03:33 PM	i
☆	HEP - Open Perinatal Hepatitis B events [LHJ]	1	Very High	05/10/2018 03:33 PM	i
☆	HEP - Chronic Hepatitis B cases for person born 1992 or later [LHJ]	1	High	05/10/2018 03:33 PM	i
☆	HEP - Chronic Hepatitis C cases for person born 1992 or later [LHJ]	0	High	05/10/2018 03:33 PM	i
☆	HEP - Open Chronic Hepatitis B events [LHJ]	5	Medium	05/10/2018 03:33 PM	i
☆	HEP - Open Chronic Hepatitis C events [LHJ]	8	Medium	05/10/2018 03:33 PM	i
☆	HEP - Open Perinatal Hepatitis C events [LHJ]	0	Medium	05/10/2018 03:33 PM	i
				<u> </u>	
HEP.	004 - Lab reports for review - action required	[LHJ]			
☆	HEP - Potential Acute HBV cases [LHJ]	1	Very High	05/10/2018 03:33 PM	i
☆	HEP - Potential Acute HCV cases [LHJ]	0	Very High	05/10/2018 03:33 PM	i
☆	HEP - Potential Perinatal HBV cases [LHJ]	0	Very High	05/10/2018 03:33 PM	i
☆	HEP - Acute HBV cases that have become chronic infections [LHJ]	0	High	05/10/2018 03:33 PM	i
☆	HEP - Acute HCV cases that have become chronic infections [LHJ]	0	High	05/10/2018 03:33 PM	i
ПЕВ	005 - Potential chronic hepatitis cases - action	required [] U II			
	•		NA - di	05/40/2040 02:22 DM	
☆	HEP - Hepatitis B cases with unconfirmed subtype [LHJ]	12	Medium	00/10/2010 00:001 111	
☆	HEP - Hepatitis C cases with unconfirmed subtype [LHJ]	11	Medium	05/10/2018 03:33 PM	i

ELR-Created Events


New events that are created as a result of an Electronic Laboratory Report (ELR) can be accessed in the workflow categories: Lab reports for review – action required and Potential

chronic hepatitis cases – action required. Events in these workflows will require review to determine whether they are acute, chronic or perinatal.

Hepatitis Workflow Columns


The display for each Hepatitis (HEP) workflow has a list of events that meet the criteria for the workflow. The columns of the display provide the identifying information for each event:

- Event the case ID is an active link that will take you directly to the Event Summary screen.
- Full Name last name and first name for case.
- Status whether the event is open or closed.
- Create Date the date the event was created in WDRS.
- Disease condition associated with the event.
- Last Update last date any update was made.
- Assigned To person(s) to whom tasks for the event are assigned. (This is different from "Investigator". This column displays the people to whom Tasks are assigned for the event.)
- Assigned To Group group to whom the event is assigned.



You can sort events in your workflow by clicking on any column header. You can filter events that appear in the workflow by selecting a 'Filter:' dropdown option, selecting the field for the filter, entering a condition, and clicking 'Apply'. For example, you could filter for the disease as Hepatitis (includes all types) and then add an additional condition for last name. Click 'Clear' to remove the filter.





Assigning Events in a Workflow

You may assign a specific user or group to one or more events in a workflow. To assign an event, check the box(es) to the left of the **'Event'** column and select a user or group using the party picker magnifying glass icons. Click the **'Assign'** button. The main workflow page will now indicate which workflows contain events assigned to the user or group you have selected.



This functionality will effectively assign the user or group a **Task**, as shown on the **WDRS Home Page**. View the <u>Tasks</u> section of this document or the <u>Tasks Quick Reference Guide</u> for more information.



Navigate to the Workflows page to keep track of events assigned to you. The workflow is named "Open Cases – Assigned to Current User" under the **Case Specific Monitors** category:



Summary of Hepatitis Workflows and Expected User Actions

There are 3 different categories of Hepatitis workflows for the local health jurisdiction user:

- 1. Open events
- 2. Lab reports for review
- 3. Potential chronic hepatitis cases

Tables 1, 2, and 3 describe workflows found in each category, expected user actions, and workflow priority level.

Table 1. HEP.003 Open events [LHJ]

Workflow	Description	Expected User Action	Priority
HEP - Open Acute Hepatitis B events [LHJ]	Acute events that need to be investigated. Enters when Acute HBV events are created.	Exits when "LHJ record complete date" is entered.	Very High
HEP - Open Acute Hepatitis C events [LHJ]	Acute events that need to be investigated. Enters when Acute HCV events are created.	Exits when "LHJ record complete date" is entered.	Very High
HEP - Open Perinatal Hepatitis B events [LHJ]	Perinatal HBV events that need to be investigated/completed. Enters when Perinatal HCV events are created.	Exits when "LHJ record complete date" is entered.	Very High
HEP - Chronic Hepatitis B cases for person born 1992 or later [LHJ]	Chronic HBV cases that may warrant investigation, due to potentially having a higher risk of transmitting disease. Enters when Chronic HBV cases with a date of birth of 1/1/92 or later are created.	Exits when "LHJ record complete date" is entered.	High
HEP - Chronic Hepatitis C cases for person born 1992 or later [LHJ]	Chronic HCV cases that may warrant investigation, due to potentially having a higher risk of transmitting disease. Enters when Chronic HCV cases with a date of birth of 1/1/92 or later are created.	Exits when "LHJ record complete date" is entered.	High
HEP - Open Chronic Hepatitis B events [LHJ]	Enters when Chronic B events are created.	Exits when "LHJ record complete date" is entered.	Medium
HEP - Open Chronic Hepatitis C events [LHJ]	Enters when Chronic C events are created.	Exits when "LHJ record complete date" is entered.	Medium

HEP - Open Perinatal	Perinatal HCV events that need to be	Exits when "LHJ	
Hepatitis C events	investigated. Enters when Perinatal	record complete	Medium
[LHJ]	HBV events are created.	date" is entered.	

Table 2. HEP.004 Lab reports for review – action required [LHJ]


Workflow	Description	Expected User Action	Priority
HEP - Potential Acute HBV cases [LHJ]	Potential HBV cases that may be acute based on lab information.	Exits when subtype is confirmed.	Very High
HEP - Potential Acute HCV cases [LHJ]	Potential HCV cases that may be acute based on high ALT values. Enters when a case with unconfirmed subtype has an ALT of greater than or equal to 200.	Exits when subtype is confirmed.	Very High
HEP - Potential Perinatal HBV cases [LHJ]	Potential HBV cases that may be perinatal based on lab information, and age is less than or equal to 24 months.	Exits when subtype is confirmed.	Very High
HEP - Acute HBV cases that have become chronic infections [LHJ]	Acute HBV cases that may have become chronic infections based on new lab information.	Exits when subtype is confirmed as "Chronic."	High
HEP - Acute HCV cases that have become chronic infections [LHJ]	Acute HCV cases that may have become chronic infections based on new lab information.	Exits when subtype is confirmed as "Chronic."	High

Table 3. HEP.005 Potential chronic hepatitis cases – action required [LHJ]

Workflow	Description	Expected User Action	Priority
HEP - Hepatitis B cases with unconfirmed subtype [LHJ]	Use this workflow to review Hepatitis B cases that may be chronic.	Exits when subtype is confirmed.	Medium
HEP - Hepatitis C cases with unconfirmed subtype [LHJ]	Use this workflow to review Hepatitis C cases that may be chronic.	Exits when subtype is confirmed.	Medium

Additional notes for workflows in: HEP.005 - Potential chronic hepatitis cases - action required [LH]]

There is a function—"Mark as chronic"—that allows users to batch confirm cases as chronic in 1) HEP - Hepatitis B cases with unconfirmed subtype [LHJ] and 2) HEP - Hepatitis C cases with unconfirmed subtype [LHJ]:



However, you must clear certain workflow queues (see below for further instructions) before using the "Mark as chronic" button. This is because cases that appear in the potentially acute or perinatal workflows are **also** present in the potentially chronic workflows for each condition (Hepatitis B and C). It may take several minutes for the workflows to refresh and update.



WARNING: You MUST clear certain workflows (see below for further instructions) FIRST before batch marking cases as chronic in these workflows. If not, you run the risk of incorrectly classifying acute or perinatal cases as chronic.

If you are not comfortable using the "Mark as chronic" function, please review records individually and/or contact the Hepatitis team for assistance.


Hepatitis B

- You can mark groups of potential chronic hepatitis B cases as "Chronic" **AFTER** clearing the following workflow queues.
 - 1. HEP Potential Acute HBV cases [LHJ]
 - 2. HEP Potential Perinatal HBV cases [LHJ]
- Clearing a workflow queue means that the number of cases in the workflow should equal 0. It may take several minutes for the workflows to refresh and update:

HEP.004 - Lab reports for review - action required [LHJ]				
☆	HEP - Potential Acute HBV cases [LHJ]	0	Very High	05/23/2018 12:57 PM
☆	HEP - Potential Perinatal HBV cases [LHJ]	0	Very High	05/23/2018 12:57 PM

Hepatitis C


- You can mark groups of potential chronic hepatitis C cases as "Chronic" **AFTER** clearing the following workflow queues:
 - 1. HEP Potential Acute HCV cases [LHJ]
- Clearing a workflow queue means that the number of cases in the workflow should equal 0. It may take several minutes for the workflows to refresh and update:



Tasks

Tasks are activities that need to be completed for an event/case. Tasks are a way for you to delegate work and can be assigned to specific users or groups. They can have a due date and are updated manually as they are completed.

Tasks can be viewed and created in three places and the functionality can be different depending upon where you initiate the create task action:



From the **Tasks** icon on the **Dashboard** toolbar

If you click the Tasks icon on the toolbar, you can create both — the task can be associated with the currently active event (if one is active) or it can be non-event-specific



An example of a task that would be associated with a specific event is to ask a user to follow up on laboratory results. An example of a non-event specific task would be to ask a user (or group) to review lab results for all of the hepatitis events that have been received in their jurisdiction recently to check for similarities.

For more details on creating, editing, and completing tasks, see the <u>Task Quick Reference</u> <u>Guide</u>.

Reports


Various reports are available to Hepatitis investigators (see table below). Refer to the <u>Reports Quick Reference Guide</u> for a general overview on how to run a report. A data dictionary for all Hepatitis B & C reports can be found on the <u>Department of Health WDRS resource page</u>.

Available Reports for Hepatitis B & C:

Report name	Description		
Hepatitis B & C			
HEP Lab Report by Investigation Creation Date	Lab export filtered by date the lab was entered into WDRS		
Hepatitis B			
Hepatitis B - Acute Report - (CDC Event Date)	Line list of acute events filtered by CDC		
Tiepatitis B - Acute Report - (CDC Event Date)	Event Date		
Hepatitis B - Acute Report - (LHJ Notification Date)	Line list of acute events filtered by LHJ		
Tiepatitis B - Acute Report - (Elis Notification Date)	Notification Date		
Hepatitis B - Acute Report - (Record Creation Date)	Line list of acute events filtered by		
Tiepatitis B - Acute Report - (Record Creation Date)	record creation date		
Hepatitis B - Chronic Report - (CDC Event Date)	Line list of chronic events filtered by		
riepatitis b - Cilionic Report - (CDC Event Date)	CDC Event Date		
Hepatitis B - Chronic Report - (LHJ Notification Date)	Line list of chronic events filtered by		
Hepatitis B - Cilionic Report - (LHJ Notification Date)	LHJ Notification Date		

Hepatitis B - Chronic Report - (Record Creation Date)	Line list of chronic events filtered by record creation date
Hepatitis C	
Hepatitis C - Acute Report - (CDC Event Date)	Line list of acute events filtered by CDC
Hepatitis C - Acute Report - (CDC Event Date)	Event Date
Hepatitis C - Acute Report - (LHJ Notification Date)	Line list of acute events filtered by LHJ
Tiepatitis C - Acute Report - (Elis Notification Date)	Notification Date
Hepatitis C - Acute Report - (Record Creation Date)	Line list of acute events filtered by
Hepatitis C - Acute Report - (Record Creation Date)	record creation date
Hepatitis C - Chronic Report - (CDC Event Date)	Line list of chronic events filtered by
Tiepatitis C - Cilionic Report - (CDC Event Date)	CDC Event Date
Hepatitis C - Chronic Report - (LHJ Notification Date)	Line list of chronic events filtered by
nepatitis C - Cironic Report - (En) Notification Date)	LHJ notification date
Hanatitis C. Chronic Papart (Pacard Croation Data)	Line list of chronic events filtered by
Hepatitis C - Chronic Report - (Record Creation Date)	record creation date

County of diagnosis (accountable county) is not a required field to run a Hepatitis report. If you do not select a county, the report will generate a line list of all events that you have permissions to view (including events you created that might have a different accountable county).



Event Data Tab - Question Packages

Question packages can include (as applicable): Administrative, Communications,

Demographics, Clinical Evaluation, Pregnancy, Birth, Laboratory Diagnostics, Exposure,

Linkage to Care, Insurance, Death, PH Issues & Actions and CDC Notification. Disregard the

CDC Notification Question Package, which will be used by the DOH Hepatitis Program. To open a Question Package, double click on the question package name or single click to highlight the name and click on the 'View Question Package' button at the bottom of the list. Answer questions in order, from the top to bottom of the page.

Administrative Question Package



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview


This section captures information on disease subtype (acute, chronic, or perinatal), reporting sources, case management, and information on disease outbreak.

Hepatitis B & C

Record Pending Deduplication

For DOH use only.

Disease Status



Disease subtype

The disease subtype (acute, chronic, and/or perinatal) will default to pending when you
create an event. Data entered while in pending status will copy into the corresponding
section for the subtype after you confirm.



Do not change an existing acute event from acute to chronic. Rather, add a chronic
disease status in the Administrative question package. When an acute event is marked
as complete in the Administrative question package, all acute fields in the Exposure
question package will be locked.


Confirm subtype

Select 'yes' to confirm subtype (acute, chronic, or perinatal) as soon as possible.
 Additional question packages will become available after subtype is confirmed.



 After confirming subtype: Changing the subtype in the administrative question package, after data has been entered, will result in loss of all information entered in the wizard.


Report Source(s)



Report source (♦)

- This field is for documenting the source(s) that reported the hepatitis event to the investigator (e.g. via a lab report or reporting form).
- **Report date** is the date given on the report itself. For example, if the report source is a laboratory, the report date is the date the lab sent the report to the LHJ (e.g. date of fax submission). If there is no date on the report source, use the **LHJ notification date** (see below).
- Report subtype indicates for which disease subtype (acute, chronic or perinatal) the
 report was made. This is an important field to complete in order to distinguish report
 sources for a case that may have multiple disease subtypes (i.e. an acute case that
 becomes chronic).

Event Administration



Address Information

- Select the address at the time of reporting in Washington State. The county of diagnosis (accountable county) will autofill based on address selected.
- To edit or add an address, navigate to the **Event Summary** screen, click on the **Persons** tab, and select 'Edit Person'. You can also click on the hyper-linked name of the person in the **Basic Information** section, and select 'Edit Person' (see <u>Tips and Tricks</u>).

- If the record was created by an Electronic Laboratory Report (ELR) submission, the address will be entered into the person record automatically; you will still need to select the reporting address using the address selection link in the **Administrative** question package.
- If a residential address is not available, the address of the provider or laboratory will be used to assign a record to an accountable county.
- To enter address information for a person experiencing homelessness, select 'Other' for Address Type, then select 'Homeless' for Residence Type


LHJ notification date

- Enter the date that the LHJ was notified of the event.
- The **LHJ notification date** can be different than the **Report date**. For example, if King County received a Pierce County lab result dated 2/1 and sent the lab to Pierce County on 2/5, the **Report date** would be 2/1 and the **LHJ notification date** would be 2/5.

Investigator

- Use this field to record the investigator responsible for this event.
- Select the search icon to search for and select your WDRS username (this is the same as your SAW user ID).





Investigation start date

• The investigation start date is the date the investigator initiated action on the event.

Investigation status

 The investigation status must be marked as "Complete," "Complete – not reportable to DOH," or "Unable to complete" to enter a record complete date.

LHJ investigation complete date

• The investigation complete date is entered when an LHJ has completed their active investigation. This date is different than the record complete date.


LHJ record complete date

- The record complete date is entered when the LHJ is ready to complete the event.
- To complete an event, you must have the following fields answered:
 - o County of diagnosis (accountable county).
 - LHJ notification date.
 - o Investigator.
 - Investigation start date.
 - Investigation status.
 - Disease status. The hepatitis event must have a confirmed subtype (acute, chronic, or perinatal). An event cannot be closed with a pending subtype.



 Entering a date in this field will lock the acute event information, so all data entry for acute events must be complete before entering a record complete date.

Case Management



Managing county notification date

- The managing county is the county of residence at time of investigation.
- You can add a new managing county by selecting 'Add New'
- The most recent **Managing county** will have the ability to edit the record.
- Only the most recent managing county and the original county of diagnosis will have the ability to edit the record.

Outbreak

Only used in the event of an Outbreak. Call your state hepatitis contact in the event of an outbreak.



Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Communications Question Package




Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

Use this question package to record information about whether or not the case (patient) was interviewed and document interview attempts by the investigator(s).

Hepatitis B & C



Information Tracking

Interview performed

- If "Yes," additional questions will appear:
 - Date of patient interview is required to be filled in.
 - Interview type
 - If the case is interviewed, you can indicate what reporting form was used.
 - Interview stage
 - Indicate here whether the interview was an "Initial" or "Follow-up" communication.
 - Interviewer
 - Enter the name of the interviewer here (free text field).
- Multiple interviews can be recorded by selecting the 'Add New' button that appears next to Date of patient interview.

Communications

Information source


- A response to this field triggers additional questions.
- Document case (patient) interview attempts by the investigator(s) by selecting "Internal."



- Document communications about the case with a provider or medical facility by selecting "Provider/medical facility."
 - Provider: Use the search icon to select a provider. It is suggested that
 - you use the 'Wildcard Function' (see Tips and Tricks).



- o Facility: Use the search icon to select a facility name. It is suggested
 - that you use the 'Wildcard Function' (see Tips and Tricks).



- Document communications about the case with an informant (e.g. friend, family member, associate) by selecting "Informant."
- Multiple communication attempts can be recorded by selecting the 'Add New' button that appears next to **Information source**.



Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Demographics Question Package

text box provided.




Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview


This section captures demographic information such as address, date of birth, race, and ethnicity.

Hepatitis B & C

Screenshots









Address Information

Address information is not editable in the demographics question package. You can only select current address from the list of available contact points.

Current Address

For chronic cases, you can select current address from a list of available contact points.






To edit or add an address, return to the **Event Summary** page, click on person in **Basic Information** and select 'Edit Person' (see Tips and Tricks).

Alternative Information Source (*)

	Alternative Information Source
Type ⊟	Friend Add New
Name	FelixCat
Phone number	(123) 456-7891
Email address	FelixCat@gmail.com ×

This field is for adding contact information for additional sources of information. Multiple entries are possible by selecting the 'Add New' link.

General Demographics





Sex, **Current gender**, **Ethnicity**, and **Race** are required fields. If required fields are left unanswered, the status of the question package will be incomplete.

Date of birth

• This field will autofill based on the birth date entered on the initial 'Person' page when the contact was created. To edit 'Birth Date' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see Tips and Tricks).

Age at time of reporting

• This field will autofill based on the birth date entered on the initial 'Person' page when the contact was created.

Sex at birth

• This field will autofill based on the gender selected on the initial 'Person' page upon being created. It should be entered as the biological sex of the patient at birth.

• To edit 'Sex at birth' information, return to the **Event Summary** page and select the 'Persons' tab. Click the 'Edit Person' button to manage information about the patient (see <u>Tips and Tricks</u>).

Primary/preferred language

Indicate the language the patient prefers for communication by selecting
the search icon and entering the name of the language. If you are unsure of
spelling you can use the 'Wildcard Function' (see <u>Tips and Tricks</u>).



 Once you have found the language desired, select from the list generated below by double clicking on the language or single click on the language and click the 'Select' button. You can remove languages with the trash icon next to the window.





Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Clinical Evaluation Question Package



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.


Overview


This section is for documenting a case's medical history.

Hepatitis B

Acute HBV cases

Onset and Diagnosis





Acute Information

• **Diagnosis date and Symptom onset date are required**. Age at acute diagnosis will auto calculate based on date of birth.

Reason(s) for Initial Screening (select all that apply)

- Prenatal screening can be recorded only for women of childbearing age.
- If there is other reason for testing, specify (free text).


Signs and Symptoms





• Fields marked with asterisks (*) in this section are very important for classifying and reporting hepatitis events to CDC.

Hospitalization




Hospitalized at least overnight for this illness (♦)

- If 'Yes', additional questions will appear.
 - Hospital facility name: Use the search icon to select a hospital name.
 It is suggested that you use the 'Wildcard Function' (see Tips and Tricks).



If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the facility name in the specify hospital field.


Vaccination History



Documented immunity to hepatitis A (due to either vaccination or previous infection)

This question can be answered with 'Yes – vaccination', 'Yes – previous infection', 'No',
 or 'Unknown'.

Comorbidities



Select yes, no, or unknown to the following:

- Diabetes
- Cirrhosis
- Ever diagnosed with liver cancer
- Decompensated cirrhosis
- Liver transplant
- Renal dialysis


- Chronic kidney disease
- HIV

Select yes, no, or unknown to each question on comorbidities.

- If 'Yes', additional questions will appear, such as diagnosis date.
 - For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.

Chronic HBV cases

Onset and Diagnosis



Chronic Information

Chronic diagnosis date is a required field.

• For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.


Age at chronic diagnosis

 Age is auto calculated based on birthdate and diagnosis date entered in previous question

Reason(s) for Initial Screening (select all that apply)


- Prenatal screening can be recorded only for women of childbearing age.
- If there is other reason for testing, specify (free text).

Hospitalization




Hospitalized at least overnight for this illness (♦)

- If 'Yes', additional questions will appear.
 - Hospital facility name: Use the search icon to select a hospital name.
 It is suggested that you use the 'Wildcard Function' (see Tips and Tricks).




Vaccination History



Washington Immunization Information System (WA IIS) number

• WA IIS number (if available) can be entered as free text.

Comorbidities





Select yes, no, or unknown to the following:


- Diabetes
- Cirrhosis
- Ever diagnosed with liver cancer
- Decompensated cirrhosis
- Liver transplant
- Renal dialysis
- Chronic kidney disease
- HIV

Select yes, no, or unknown to each question on comorbidities.

- If 'Yes', additional questions will appear, such as diagnosis date.
 - For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.

Perinatal HBV cases

Onset and Diagnosis



Symptom onset date

Enter date of testing as onset date

Symptoms of acute hepatitis, Asymptomatic with risk factors

- Indicate whether symptomatic or asymptomatic.
- If asymptomatic, enter 'Yes' to Asymptomatic with risk factors.

 Because Perinatal cases always have a risk factor (i.e. born to an HBV-infected mother), the question "Asymptomatic without risk factors" will be removed from WDRS in the future.


Washington Immunization Information System (WA IIS) number

• WA IIS number (if available) should be entered as free text.

Hepatitis C

Acute HCV cases

Onset and Diagnosis



Acute Information

Diagnosis date and Symptom onset date are required. For guidance on <u>uncertain dates</u>, see Tips and Tricks. Age at acute diagnosis will auto calculate based on date of birth.

Reason(s) for Initial Screening (select all that apply)

- Prenatal screening can be recorded only for women of childbearing age.
- If there is other reason for testing, specify (free text).


Signs and Symptoms





 Fields marked with asterisks (*) in this section are very important for classifying and reporting hepatitis events to CDC.

Hospitalization




Hospitalized at least overnight for this illness (♦)

- If 'Yes', additional questions will appear.
 - Hospital facility name: Use the search icon to select a hospital name.
 It is suggested that you use the 'Wildcard Function' (see Tips and Tricks).



If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the name of the facility in the specify hospital field.

Comorbidities



Select yes, no, or unknown to the following:

Diabetes

- Cirrhosis
- Ever diagnosed with liver cancer
- Decompensated cirrhosis
- Liver transplant
- · Renal dialysis
- Chronic kidney disease

Select yes, no, or unknown to each question on comorbidities.

- If 'Yes', additional questions will appear, such as diagnosis date.
 - For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.

Chronic HCV cases

Onset and Diagnosis

Onset and Diagnosis				
Chronic Information				
Year of acute diagnosis date, if known				
* Chronic diagnosis date	02/01/2018			
Date of diagnosis accuracy	Exact ▼			
Date of diagnosis inexact date	02/01/2018			
Age at chronic diagnosis (years) 🗓	28			
Age at diagnosis (patient reported)				


Diagnosis date is a required field.

• For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.

Age at chronic diagnosis

 Age is auto calculated based on birthdate and diagnosis date entered in previous question

Hospitalization




Hospitalized at least overnight for this illness (♦)

- If 'Yes', additional questions will appear.
 - Hospital facility name: Use the search icon to select a hospital name.
 It is suggested that you use the 'Wildcard Function' (see Tips and Tricks).



If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the name of the facility in the specify hospital field.

Comorbidities



Select yes, no, or unknown to the following:

- Diabetes
- Cirrhosis
- Ever diagnosed with liver cancer
- Decompensated cirrhosis
- Liver transplant
- Renal dialysis
- Chronic kidney disease

Select yes, no, or unknown to each question on comorbidities.

- If 'Yes', additional questions will appear, such as diagnosis date.
 - For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.



Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Pregnancy Question Package




Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

This section captures information on pregnancy and delivery. This section appears only for women aged 11 to 50. This section will not appear if date of birth is not entered.

Hepatitis B & C

Screenshots



Acute and chronic HBV and HCV cases

Pregnancy Information

Pregnant (♦) and Subtype at time of this pregnancy

- Multiple pregnancies can be recorded by selecting the 'Add New' button.
- Different subtypes can be recorded for each pregnancy.

Reported to Perinatal Hepatitis B Prevention Program (PHBPP)

- Each pregnancy in an HBV-infected woman should be reported to the Perinatal Hepatitis B Prevention Program at her local health jurisdiction and at DOH.
- Enter 'Yes' if you have reported to PHBPP for this pregnancy.
- This field is required for any woman with chronic hepatitis B that is noted as pregnant at the time of initial report, or at the time of any subsequent positive test report.

Estimated delivery date

• Estimated delivery date is a required field. If delivery date is completely unknown, leave the field blank. If only the month and year are known, input the 1st for day.

Delivery Hospital

Use the search icon to select a hospital name. It is suggested that you
use the 'Wildcard Function' (see <u>Tips and Tricks</u>).



o If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the name of the facility in the specify hospital field.

OB Name

- Use the **search icon** to select the name of the OB/GYN. If you are unsure of spelling you can use the 'Wildcard Function' (see Tips and Tricks).
- Names of providers cannot be manually entered; you must select the name from the search results list.
 - If the provider name is not on the search results list, select 'Provider not listed' and specify the provider in the field 'Provider not listed – specify'.

Perinatal Hepatitis B Prevention Program (PHBPP) Case ID


• Each pregnancy in an HBV-infected woman should be reported to the Perinatal Hepatitis B Prevention Program for each pregnancy. The Case ID from the PHBPP module should be entered here.



Infant Information


Always search for an existing event and person before adding a new one.


Create/Edit Infant



Are you ready to save and copy this information to the other event

- Selecting 'yes' will copy the infant information entered in this QP to the new event
- The two events (mother and infant) will be linked. You can find the linked events under Event Summary.





Command Buttons



Click 'Save' button to save your changes and return to the **Event Summary** screen. A 'Cancel' and 'Help' button are also available options.

Birth Question Package



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

This section captures information about the birth, mother, and vaccination. This section appears only for perinatal cases.

Hepatitis B

Perinatal HBV cases

Information About The Birth



Born inside US

Make changes to this question in the demographics question package, Country of birth.
 Only HBV-infected infants born in the United States can be counted as perinatal cases, so this variable is case-defining.

Delivery hospital

Use the search icon to select a hospital name. It is suggested that you use the 'Wildcard Function' (see <u>Tips and Tricks</u>).



o If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the name of the facility in the specify hospital field.

Maternal Information






Birth mother race or ethnicity known

• If mother's race or ethnicity known, select 'Yes,' and additional guestions will appear.

Birth mother born outside of USA

• If 'Yes,' select the country of birth from the drop down list.

Infant Vaccination History



Received HBIG

Date received HBIG and Timing of HBIG are required fields.

Received hepatitis B containing vaccine

- If the patient received hepatitis B containing vaccine, enter the number of doses and date of vaccine administration.
- Date of vaccine administration (♦) is a required field
- If date of vaccine administration is entered, additional questions will appear.



Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.


Laboratory Diagnostics Question Package



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

Use this question package to visualize and answer additional questions about laboratory results already entered in the 'Lab Results' tab (see below). Enter all laboratory results in the Lab Results tab by selecting 'Add Lab Result'.



Please refer to the <u>WDRS Lab Results Instruction Manual</u> for specific instructions on how to enter laboratory results. Please see <u>Appendix A</u> for an overview of required fields and tests for both Hepatitis B and Hepatitis C.



Please note: Just before go-live of WDRS on 6/25/2018, hepatitis labs received in Public Health Reporting of Electronic Data (PHRED) from 5/9/18 to 6/25/18 will be imported into WDRS by DOH.

Starting with go-live of WDRS on 6/25, DOH will perform a daily import of labs from PHRED into WDRS. This daily import will involve some standardization of lab data including test type (WDRS test performed) and result (WDRS result coded and WDRS result summary), as well as assigning accountable county. These daily-imported labs will create open events in WDRS that can be found and reviewed through various workflows. After 6/25, PHRED will remain operational, but labs do not need to be printed from PHRED and manually entered into WDRS. The daily import of PHRED labs will continue until the launch of the DRIVE system (Disease Reporting Interoperability and Verification Engine), anticipated in December 2018.


Hepatitis B & C


Screenshots

Hepatitis B (note: more fields are available for those co-infected with Hepatitis D):

Enter all laboratory results in the Investigation Template/Lab Tab.			
Tests			
Hepatitis B surface antigen (HBsAg)	•		
Hepatitis B core antigen IgM (anti-HBc IgM)	T		
HBeAg	T		
HBV DNA qualitative	T		
HBV DNA quantitative			
HBV genotype			
Negative HBsAg within the prior six months	▼		
Anti-HDV	T		
HDV RNA	▼		
Lab test for acute HDV infection	y		
Liver Enzyme Tests			
AST (SGOT) collection date			
ALT (SGPT) collection date			
Liver Staging			
Patient ever staged ▼			
Earliest Positive Lab Test			
No data required for this section			

Hepatitis C





Tests

Lab results that are greyed out can be edited by navigating to the 'Lab Results' tab on the **Event Summary** page.



Liver Staging

This section is optional and is not required to complete an investigation.

Patient ever staged

• If 'Yes', additional questions will appear.

Staging method description

- "APRI score"
 - Used to rule-out significant fibrosis and cirrhosis in hepatitis and non-alcoholic fatty liver disease.
- "ARFI"
 - Type of ultrasound used for the diagnosis and monitoring of cancers.
- "Biopsy"
- "Fib-4"
 - o Index for estimating the amount of scarring in the liver.
- "FibroSURE"
 - o Blood test that measures liver fibrosis and inflammation.
- "Imaging (e.g. ultrasound, CT, MRI)"
- "Liver elastography (fibroscan)"
 - Fibroscan: imaging study that evaluates the degree of liver stiffness or scarring.
- "Other"
 - If yes, specify other procedure.

CPT procedure code

Used for documenting medical procedures performed.

Location (i.e. name of facility where procedure was performed)

- Use the search icon to select the name of the facility where the procedure was performed. It is suggested that you use the 'Wildcard Function' (see <u>Tips and Tricks</u>).
 - If the facility name is not on the search results list, type "*not listed" in name box and hit search. Select health care facility not listed in search results box and type out the name of the facility in the specify hospital field.



Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Exposure Question Package



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

This section captures information on hepatitis risk factors and possible exposures.

Hepatitis B



The Exposure question package will appear after disease status is confirmed in the administrative question package.

Acute HBV cases

Acute Exposure Information

Acute Exposure Information		
Exposure dates: 180 days before symptoms onset date to 45 days before symptoms onset date 07/19/2017 to 12/01/2017		
Travel out of state, out of the country or outside of usual routine		▼
Case knows anyone with similar symptoms		▼
Contact with a confirmed or suspected hepatitis B case (acute or chronic)		▼
Congregate living		▼
Any suspect medical or dental exposure		▼
Surgery (including outpatient), other medical procedures, hospitalized during exposure period		▼
Hemodialysis		▼
IV or injection as outpatient/IV infusion or injection in outpatient setting		▼
Transfusion, blood product or transplant	▼	
Dental work or oral surgery	▼	
Employed in job with potential for exposure to human blood or body fluids	*	
Other exposure to someone else's blood (including first aid)	▼	
Accidental stick or puncture with sharps contaminated with blood or body fluid	▼	
Ear or body piercing		

Received acupuncture	▼	
Tattoo recipient	▼	
Shared razor, toothbrushes or nail care items	▼	
Non-injection street drug use/use street drugs	▼	
Injected drugs not prescribed by doctor, even if only once or a few times	▼	
Number of female sexual partners (during exposure period)		
Number of male sexual partners (during exposure period)		
Received treatment for an STD	▼	

Exposure dates: 180 days before symptoms onset date to 14 days before symptoms onset date

 Exposure dates will auto-calculate based on the symptom onset date entered in the <u>Clinical Evaluation</u> question package.

Travel out of state, out of the country or outside of usual routine (♦)

• If 'Yes,' select country, county, state, or unknown and select destination.

Contact with a confirmed or suspected hepatitis B case (♦)

• If 'Yes,' select type of contact.

Congregate living (♦)

If 'Yes,' select type of congregate living.

Any suspect medical or dental exposure

• If 'Yes,' describe exposure.



 A suspect medical or dental exposure includes any potential blood-borne exposure not otherwise listed.

Ear or body piercing (♦)

- If 'Yes,' additional follow up questions will appear:
 - Specify: specify the body site of the piercing.
 - Address/name: specify the address and name of the shop that performed the piercing.
 - o Body piercing was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.


Tattoo recipient (♦)

- If 'Yes', additional follow up questions will appear:
 - o Tattoo was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Injected drugs not prescribed by doctor, even if only once or a few times

- If 'Yes', additional follow up questions will appear:
 - Select injection drug use type.
 - Make sure to check all that apply.

Acute Exposure Summary



Most likely exposure

 Most likely exposure is a required field. Unanswered required fields will show as incomplete in the Event Data tab status

Chronic HBV cases

Chronic Exposure Information

Chronic Exposure Information (if not otherwise sp	pecified report exposure information over the lifetime
Received clotting factor concentrates	▼
Received blood products	▼
Received solid organ transplant	▼
Other organ or tissue transplant recipient	T
Long term hemodialysis	▼
Birth mother has history of hepatitis B infection	T
Employed in job with potential for exposure to human blood or body fluids	v
Accidental stick or puncture with sharps contaminated with blood or body fluid	▼
History of occupational needle stick or splash	T
Ever had a finger stick/prick blood sugar test	▼
Ear or body piercing	T
Ever received acupuncture	v



Tattoo recipient	v
Non-injection street drug use/use street drugs	T
History of incarceration	T
Born outside US	▼
Contact with confirmed or suspect hepatitis B case (acute or chronic)	T
Approximate number of lifetime sex partners	Ţ
Received treatment for an STD	▼
Ever injected drugs not prescribed by doctor, even if only once or a few times	<u>▼</u>

Other organ or tissue transplant recipient

- If 'Yes,' select date
 - For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.

Ear or body piercing (♦)

- If 'Yes,' additional follow up questions will appear:
 - o Specify: specify the body site of the piercing.
 - Address/name: specify the address and name of the shop that performed the piercing.
 - Body piercing was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Tattoo recipient (♦)

- If 'Yes', additional follow up questions will appear:
 - Tattoo was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Contact with a confirmed or suspected hepatitis B case (acute or chronic) (♦)

If 'Yes,' select type of contact.

Ever injected drugs not prescribed by doctor, even if only once or a few times

- If 'Yes', additional follow up questions will appear:
 - Select injection drug use type.
 - Make sure to check all that apply.



Chronic Exposure Summary



Most likely exposure

 Most likely exposure is a required field. Unanswered required fields will show as incomplete in the Event Data tab status



Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Hepatitis C



The Exposure question package will appear after disease status is confirmed in the administrative question package.

Acute HCV cases

Acute Exposure Information

Acute Exposure Information		
Exposure dates: 180 days before symptoms onset date to 14 days before symptoms onset date 07/19/2017 to 01/01/2018		
Travel out of state, out of the country or outside of usual routine		▼
Case knows anyone with similar symptoms		▼
Contact with a confirmed or suspected hepatitis C case (acute or chronic)		▼
Congregate living		▼
Any suspect medical or dental exposure		V
Surgery (including outpatient), other medical procedures, hospitalized during exposure period		
Hemodialysis	7	
IV or injection as outpatient/IV infusion or injection in outpatient setting		
Transfusion, blood product or transplant		
Dental work or oral surgery	▼	
Employed in job with potential for exposure to human blood or body fluids	▼	
Other exposure to someone else's blood (including first aid)		
Accidental stick or puncture with sharps contaminated with blood or body fluid	▼	
Ear or body piercing	▼	
Received acupuncture	7	

Tattoo recipient	▼
Shared razor, toothbrushes or nail care items	▼
Non-injection street drug use/use street drugs	▼
Injected drugs not prescribed by doctor, even if only once or a few times	▼
Number of female sexual partners (during exposure period)	
Number of male sexual partners (during exposure period)	
Received treatment for an STD	T



Acute exposures are asking only about the exposure period, which is 180 days (6 months) before symptom onset to 14 days before symptom onset.

Exposure dates: 180 days before symptoms onset date to 14 days before symptoms onset date

• Exposure dates will auto-calculate based on the symptom onset date entered in the **Clinical Evaluation** question package.

Travel out of state, out of the country or outside of usual routine (♦)

• If 'Yes,' select country, county, state, or unknown and select destination.

Contact with a confirmed or suspected hepatitis C case (♦)

If 'Yes,' select type of contact.

Congregate living (♦)

• If 'Yes,' select type of congregate living.

Any suspect medical or dental exposure

If 'Yes,' describe exposure.



 A suspect medical or dental exposure includes any potential blood-borne exposure not otherwise listed.

Ear or body piercing (♦)

- If 'Yes,' additional follow up questions will appear:
 - Specify: specify the body site of the piercing.
 - Address/name: specify the address and name of the shop that performed the piercing.
 - Body piercing was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.


Tattoo recipient (♦)

- If 'Yes', additional follow up questions will appear:
 - o Tattoo was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Ever injected drugs not prescribed by doctor, even if only once or a few times

- If 'Yes', additional follow up questions will appear:
 - Select injection drug use type.
 - Make sure to check all that apply.

Acute Exposure Summary



Most likely exposure

• Most likely exposure is a required field. Unanswered required fields will show as incomplete in the **Event Data** tab status.

Chronic HCV cases

Chronic Exposure Information

Chronic Exposure Information (if not otherwise specified report exposure information over the lifetime								
Received clotting factor concentrates	•							
Received blood products	•							
Received solid organ transplant	•							
Other organ or tissue transplant recipient	•							
Long term hemodialysis	•							
Birth mother has history of hepatitis C infection	•							
Employed in job with potential for exposure to human blood or body fluids	•							
Accidental stick or puncture with sharps contaminated with blood or body fluid	•							
History of occupational needle stick or splash	•							
Ever had a finger stick/prick blood sugar test	•							

Ear or body piercing	•	
Ever received acupuncture	•	
Tattoo recipient	•	
Non-injection street drug use/use street drugs	•	
History of incarceration	•	
Born outside US	•	
Contact with confirmed or suspected hepatitis C case (acute or chronic)	▼	
Approximate number of lifetime sex partners	•	
Received treatment for an STD	•	
Ever injected drugs not prescribed by doctor, even if only once or a few times	•	

Ear or body piercing (♦)

- If 'Yes,' additional follow up questions will appear:
 - Specify: specify the body site of the piercing.
 - Address/name: specify the address and name of the shop that performed the piercing.
 - Body piercing was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Tattoo recipient (♦)

- If 'Yes', additional follow up questions will appear:
 - Tattoo was performed at: select one of the following
 - Commercial parlor/shop.
 - Correctional facility.
 - Other.
 - If other, specify the location.

Contact with a confirmed or suspected hepatitis C case (acute or chronic) (♦)

• If 'Yes,' select type of contact.

Ever injected drugs not prescribed by doctor, even if only once or a few times

- If 'Yes', additional follow up questions will appear:
 - Select injection drug use type.
 - Make sure to check all that apply.

Chronic Exposure Summary







Most likely exposure

 Most likely exposure is a required field. Unanswered required fields will show as incomplete in the Event Data tab status

Other organ or tissue transplant recipient

- If 'Yes,' select date
 - For guidance on <u>uncertain dates</u>, see the <u>Tips and Tricks</u> section of this document.

Command Buttons



Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Linkage to Care Question Package



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.


Overview


This section is for documenting a case's linkage to care and treatment history.

Hepatitis B


Screenshots

Acute





Chronic



Acute HBV cases

Clinical Case Management Information Patient has provider of care for hepatitis

 This is defined as any healthcare provider that monitors or treats the patient for viral hepatitis.

Spontaneous Viral Clearance

Indicate if the case has cleared the infection.

Chronic HBV cases

Clinical Case Management Information Was patient referred for care

• If "Yes," and patient has seen or has an appointment for medical management:

- Indicate whether the patient has seen/will see a Primary Care Physician (PCP) and/or a Specialist, and the date of the last appointment.
- If "No," please specify the primary reason for why the patient was not referred for care.
- Select "Unknown" or leave field blank if unknown.

Acute and chronic HBV cases

Clinical Case Management Information


Did the patient receive medication for the type of hepatitis being reported (♦)

- If "Yes", you will be able to record each medication the patient is taking and input additional information.
 - o Each option includes a brand name and its generic name in parentheses.
 - o If the medication of interest is not listed, choose "Other" and specify the drug.
 - o **Frequency (per day)** is for a number value only.
 - If the frequency is different than per day, please specify the frequency under **Other frequency unit**.
 - o Indicate the **Start date** of the medication.
 - If the start date is completely unknown, leave the field blank.
 - If only the month and year are known, input the 1st for day.
 - If only the year is known, input January 1st of that year.
 - Treatment completed
 - Indicate whether or not treatment was completed, if it is in progress, or if unknown (or leave field blank if unknown).
 - The response to this field may trigger additional questions to appear.

Hepatitis C


Screenshots

Acute





Chronic



Acute HCV cases

Clinical Case Management Information Patient has provider of care for hepatitis

 This is defined as any healthcare provider that monitors or treats the patient for viral hepatitis.

Spontaneous viral clearance

Indicate if the case has cleared the infection.

Chronic HCV cases

Clinical Case Management Information Was patient referred for care

- If "Yes," and patient has seen or has an appointment for medical management:
 - Indicate whether the patient has seen/will see a Primary Care Physician (PCP) and/or a Specialist, and the date of the last appointment.
- If "No," please specify the primary reason for why the patient was not referred for care.
- Select "Unknown" or leave field blank if unknown.

Achieved sustained virological response (SVR)

- If "Yes,"
 - Please indicate SVR post-treatment time point(s).
 - This field is to track follow-up visits after treatment is both successful and completed.
 - Available responses to select are: "12 weeks," "24 weeks" or "Other."
- If "No,"
 - Please indicate whether it was because of "Treatment failure," "Did not complete treatment" or "Other" (and specify other reason).
 - Leave field blank if unknown.

Acute and chronic HCV cases

Clinical Case Management Information

Did the patient receive medication for the type of hepatitis being reported?

- If "Yes", you will be able to record each medication the patient is taking and input additional information.
 - o Each option includes a brand name and its generic name in parentheses.
 - o If the medication of interest is not listed, choose "Other" and specify the drug.
 - Frequency (per day) is for a number value only.
 - If the frequency is different than per day, please specify the frequency under Other frequency unit.
 - o Indicate the **Start date** of the medication.
 - If the start date is completely unknown, leave the field blank.
 - If only the month and year are known, input the 1st for day.
 - If only the year is known, input January 1st of that year.
 - Treatment completed
 - Indicate whether or not treatment was completed, if it is in progress, or if unknown (or leave field blank if unknown).
 - The response to this field may trigger additional questions to appear.



Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Death Question Package




Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

This section captures information on date, cause, and location of death.


Hepatitis B & C

Death Information



Vital status

• To enter death data, the vital status must be marked as dead in the 'Persons' tab <u>after</u> the event has been created. See <u>Tips and Tricks</u> for more information on editing Person information.




Date of death

This field will autofill based on the death date entered on the initial 'Person' page
when the contact was created. To edit 'Date of death' information, return to the
Event Summary page and select the 'Persons' tab. Click the 'Edit Person' button to
manage information about the patient. (See <u>Tips and Tricks</u>)

Address

- The address at time of death is not editable in the death question package. The address will autofill or you can select 'residential address at death' and pick an address from the list of available contact points.
- To edit or add an address, you must select edit person in the 'Persons' tab.





Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

PH Issues & Actions Question Package




Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

This section captures potential public health issues and record actions taken by anyone (likely the investigator or medical provider) as a result of a case's positive disease status.

Hepatitis B

Screenshots



All non-Perinatal HBV Cases

Public Health Actions

Evaluated contacts

- O Were any contacts of the case interviewed?
- If "Yes," go to the <u>Contacts</u> question package to enter information about each contact.

Acute HBV cases

Acute - Public Health Issues Employed as a health care worker

• If "Yes," this will trigger additional questions under the Public Health Actions section.

Did case donate blood products, organs or tissue (including ova or semen) in the 30 days before symptoms onset

• If "Yes," specify whether "Blood products, "Organs," or "Tissue (including ova or semen)" was donated.

Acute - Public Health Actions


If case is health care worker performing invasive procedures, advise strict adherence to recommended infection control practices

- This field will be available only if **Employed as a health care worker** is indicated as "Yes" under Public Health Issues section.
- Invasive procedures include anything that could facilitate blood borne transmission.

Other

• If other public health actions were taken, then specify (free text).


Chronic HBV cases



Chronic- Public Health Actions Referred to Perinatal Hepatitis B Prevention Program (PHBPP)

• This question appears only for women aged 11 to 50. This question will not appear if date of birth is not entered.

Perinatal HBV cases




Perinatal - Public Health Actions

Failure of vaccine or post exposure prophylaxis can be indicated here.

Hepatitis C

Screenshots

Acute



Chronic

Chronic - Public Health Issues	
Patient aware of hepatitis support agencies (e.g. Hepatitis Education Project)	▼
Recent blood products, organs or tissue (including ova or semen) donation	▼
Chronic - Public Health Actions	
Recommended confirmatory testing	▼
Counseled on importance of regular healthcare to monitor liver health	▼
Counseled on avoidance of liver toxins (e.g. alcohol)	▼
Recommend hepatitis A vaccination	7
Recommend hepatitis B vaccination	7
Counseled on measure to avoid transmission	•
Counseled to not donate blood products, organs or tissues	•
Notified blood or tissue bank (if recent donation)	•
Counseled about transmission risk to baby if pregnant	•
Referred to Perinatal Hepatitis B Prevention Program (PHBPP)	*
Reinforced use of universal precautions, if HCW	*
Counseled on harm reduction and places to access clean syringes, if current IDU	•
Provided contact information for hepatitis support agencies	•
Provided patient education materials about HCV	•
Provided options for access to health care	•
Provided information on alcohol/substance abuse treatment	•
Other public health action	•
* Evaluated contacts	Yes ▼
Go to the Contacts question package to enter information about each contact	
* Indicates required field	

Acute HCV cases

Acute - Public Health Issues Employed as a health care worker

• If "Yes," this will trigger additional questions to appear under the Public Health Actions section.

Did case donate blood products, organs or tissue (including ova or semen) in the 30 days before symptoms onset

• If "Yes," specify whether "Blood products, "Organs," or "Tissue (including ova or semen)" was donated.

Acute - Public Health Actions

If case is health care worker performing invasive procedures, advise strict adherence to recommended infection control practices

• This field will be available only if **Employed as a health care worker** is indicated as "Yes" under Public Health Issues section.

• Invasive procedures include anything that could facilitate blood borne transmission.

Other

• If other public health actions were taken, then specify (free text).

Chronic HCV cases

Chronic - Public Health Issues

Recent blood products, organs or tissue (including ova or semen) donation

 Did the case recently donate any blood products, organs or tissue, including ova or semen?

Chronic - Public Health Actions

Other public health action

• If "Yes," then specify (free text).

Acute and chronic HCV cases

Public Health Actions

Evaluated contacts

- Were any contacts of the case interviewed?
- If "Yes," go to the Contacts question package to enter information about each contact.



Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.

Contacts Question Package



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.


Overview

Use this section to record information about each contact that is evaluated for a case. This question package becomes available for a case if **Evaluated contacts** is marked as **"Yes"** in the **PH Issues & Actions** question package.



If your case is linked to a contact that becomes a new or is an existing WDRS case, the **contact** will have a question package available named "**Link to Original Patient.**" The information in this question package is for reference only.

Hepatitis B & C



Contacts Information

Would you like to add a new contact?

Selecting "Yes" to this question will trigger additional questions to appear.

Search for existing event

Select the search icon to search for whether there is already an existing
 1) person and
 2) Hepatitis B or C event in WDRS for this contact.



- If you are unsure of spelling, you can use the '<u>Wildcard Function</u>' (see <u>Tips and Tricks</u>).
- Select the appropriate event, if there is already both an existing 1) person and 2)
 Hepatitis B or C event in WDRS for the contact.

Search for existing person

 Select the search icon to search for whether there is already an existing person in WDRS, if you are certain that the person has not already been reported as having Hepatitis B or C in WDRS.



- If you are unsure of spelling, you can use the '<u>Wildcard Function</u>' (see <u>Tips and</u> <u>Tricks</u>).
- Select the appropriate person, if there is already an existing person record in WDRS for the contact.

Existing person not found – add new

- If you are sure that there is not an existing person/event record in WDRS for the contact:
 - For known Hepatitis B or C cases (e.g. contacts who have Hepatitis B or C laboratory results)
 - Select "Add new person and event." This will trigger additional questions to appear.
 - For contacts that are **not known** to be Hepatitis B or C cases (e.g. contacts who were exposed to the original case, but not tested)
 - Select "Not enough info to merit PH action." This will trigger additional questions to appear.

User

- Use this field to record who evaluated the contact or is entering the data associated with the contact in this section.
- Select the **search icon** to search for and select your WDRS user name.

OK to talk with this contact

- Indicate if it is okay to reach out to this contact.
- If "Later" is selected, you can indicate the Date patient can be contacted.

Interview category

If the contact is interviewed, you can indicate what reporting form was used.

Contact interview date

If you are able to interview the contact, please indicate the date the interview occurred.

Referred to PCP for evaluation

Was the contact referred to a Primary Care Physician (PCP) for evaluation?

Create/Edit Contact

Are you ready to save and copy this information to the other event?

- Once you have completed the "Contacts Information" section:
 - If the contact becomes a new WDRS case or is already an existing WDRS case, select "Yes." Information on this screen will be copied to a question package named "Link to Original Patient" in the contact's case record.
 - o If the contact is not known to be a Hepatitis B or C case, leave this field blank.
- Multiple contacts can be recorded by selecting the 'Add New' button that appears next to the selection box.



Command Buttons

Click 'Save' button to save your changes and return to the **Event Summary** screen. 'Save & Stay,' 'Cancel' and 'Help' buttons are also available options.


Appendix A. Required Lab Tests & Results



Please leave fields blank if the question was not asked or is not applicable. Select "Unknown" only when there was an attempt to get the information and the answer is unknown.

Overview

Use this appendix as a guide to determine which laboratory tests and results are required to be entered. Enter all laboratory results in the Lab Results tab by selecting 'Add Lab Result' (see below). Please refer to the Cross-domain Laboratory Manual for specific instructions on how to enter laboratory results.



Hepatitis B & C

Brief overview of required tests to enter (if available):

Hepatitis B	Hepatitis C
Alanine aminotransferase (ALT)	Alanine aminotransferase (ALT)
Hepatitis A IgM ^a	HCV RNA (qual. and quant.)
Hepatitis B core antigen IgM (anti-HBc IgM)	Hepatitis A IgM ^a
Hepatitis B e antigen (HBeAg)	Hepatitis B core antigen IgM (anti-HBc IgM)
Hepatitis B genotype	Hepatitis C antibody
Hepatitis B surface antigen (HBsAg)	Hepatitis C antibody signal-to-cut-off ratio
Hepatitis B virus DNA (qual. and quant.)	Hepatitis C antigen ^b
Hepatitis Delta (D) RNA	Hepatitis C genotype
Hepatitis Delta (D) antibody (anti-HDV)	
Hepatitis Delta (D) antigen	

^a Result used to aid with differential diagnosis

Brief overview of required fields to enter:

- Specimen identifier/accession number
- Specimen collection date
- WDRS test performed (Test type)
- WDRS test result, coded if you are inputting non-numeric results (i.e. genotype)
- If a numeric result is given, enter:
 - WDRS result, comparator, if present (e.g. less than symbol)
 - o WDRS result, numeric only (actual numeric result)
 - WDRS units of measure, if present (e.g. IU/mL)
- WDRS result summary, but not needed for ALT or other similar liver function values (e.g. positive, negative)
- WDRS performing organization (Test laboratory)
- WDRS ordering provider (Test provider)
 - o if not available, WDRS ordering facility (Test facility)

^b When an FDA-approved test is available

Required tests and fields for manual Hepatitis B lab entry in WDRS											
Test	Alanine aminotransfer ase (ALT)	Hepatitis A IgM	Hepatitis B core antigen IgM (anti- HBc IgM)	Hepatitis B e antigen (HBeAg)	Hepatitis B genotype	Hepatitis B surface antigen (HBsAg)	Hepatitis B virus DNA, Qualitative	Hepatitis B virus DNA, Quantitative	Hepatitis Delta (D) RNA	Hepatitis Delta (D) antibody (anti- HDV)	Hepatitis Delta (D) antigen
Specimen											
Specimen identifier/accession number	✓	✓	✓	✓	✓	✓	√	✓	√	✓	✓
Specimen collection date	√	√	√	√	√	√	✓	√	√	√	√
Test performed and result	<u> </u>	-	-	<u> </u>	-	-	·	· · · · · ·	<u> </u>	-	<u> </u>
WDRS test performed (test type)	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓
WDRS test result, coded (i.e. non-numeric results like genotype)					√						
WDRS test result, comparator (e.g. < symbol)	√ , if present							√ , if present	√ , if present		
WDRS result, numeric only (actual numeric result)	✓							✓	✓		
WDRS units of measure (e.g. IU/mL)								✓	✓		
WDRS result summary (e.g. positive or negative)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WDRS performing organization (Test laboratory)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ordering provider											
WDRS ordering provider (Test provider)		\checkmark , but if not available, input WDRS ordering facility									
Ordering facility											
WDRS ordering facility (Test facility)		Only if no ordering provider									

Required tests and fields for manual Hepatitis C lab entry in WDRS										
Test	Alanine aminotransferase (ALT)	HCV RNA (NAT) qualitative	HCV RNA (NAT) quantitative	Hepatitis A IgM	Hepatitis B core antigen IgM (anti- HBc IgM)	Hepatitis C antibody	Hepatitis C antibody signal-to-cut- off (s/co) ratio	Hepatitis C antigen (when test available)	Hepatitis C genotype	
Specimen										
Specimen identifier/accession number	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Specimen collection date	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Test performed and result										
WDRS test performed (test type)	✓	✓	✓	✓	✓	✓	✓	✓	✓	
WDRS test result, coded (i.e. non- numeric results like genotype)									✓	
WDRS test result, comparator (e.g. < symbol)	√ , if present		√ , if present				√ , if present			
WDRS result, numeric only (actual numeric result)	√		✓				✓			
WDRS units of measure (e.g. IU/mL)			✓							
WDRS result summary (e.g. positive or negative)		√	✓	√	√	√	√	✓	√	
WDRS performing organization (Test laboratory)	√	√	√	√	√	√	√	√	√	
Ordering provider		•	•		•	•		•	•	
WDRS ordering provider (Test provider)			√ , but if no	t available,	input WDRS o	ordering facil	ity			
Ordering facility										
WDRS ordering facility (Test facility)				Only if no o	rdering provi	der				

Glossary: Terms Used in WDRS

Dashboard: A central location from which the user can access the various areas and functionality of the system as well as see an overview of user specific workflows, tasks, assignments and recent events. Referred to in this manual as the "home page."

Concern: A message meant to notify the user of an issue regarding the event.

County of diagnosis (accountable county): This represents the county of residence at diagnosis, not the county where the testing was done.

Event: An "event" in WDRS represents the occurrence of a real-world event of interest to public health. These real-world events include but are not limited to:

- an occurrence of a reportable condition
- an investigation of suspected infection
- a contact/partner investigation
- the occurrence of an outbreak
- intervention activities
- maintenance of a disease registry

Most often, a WDRS event contains information about the association of a person with a disease or other health condition, for example, hepatitis, influenza, or blood lead poisoning. One person can be associated with one or more real-world events, with each real-world event being represented by a separate event in WDRS.

Some kinds of events are time-limited (for example, influenza); more than one event of the same kind can exist for the same person. Other kinds of events persist for the lifetime of the person (for example, HIV); only one event of this kind can exist for the same person.

Sometimes referred to in this guide as a "case" or "record".

Model: A collection of information related to one of five disease groupings in WDRS: General Communicable Disease (GCD), Hepatitis (except A and E, which are part of GCD), Blood Lead, Sexually Transmitted Diseases/HIV and Tuberculosis (TB).

Party: A party in WDRS is an entity that participates in one or more events. A party is most commonly a person, either the subject of an event (a "patient"), or a provider. A party can also be an organization, such as a health care facility or laboratory.

Question Packages: Sets of fields related to a specific topic for a disease or condition. Question packages allow users to enter information related to an event, including but not limited to: demographics, clinical information, epidemiological information and public health actions/interventions. Different users can access different question packages as determined by the model, the disease, and the user's security settings.

Wild Card: An asterisk (*) or a question mark (?) that can be used during searches (see the WDRS Reference Guide for more details).

Workflow: A list of events that meet specific criteria. An example of a workflow is a worklist of events that need follow-up action in order to be complete. When an event in a workflow is edited and that event no longer meets the criteria of interest, the event is removed from the workflow.